
# CYCLISTS' \*AIDS' 1960



The HOLDSWORTHY Co. Ltd., London, S.E.20.

Any of the items listed may be obtained through

YOUR LOCAL AGENT: -

A guide to the latest and best British and Continental equipment for 1960. Our enthusiastic Staff of Club Cyclists maintain a unique connection with the Trade on the Continent combined with an intimate knowledge of the Home Market which ensures that this list remains "up to the minute" year after year. Published in a convenient pocket size so that it may be carried at all times. Turn to the INDEX ON PAGE 40 for quick reference.

We regret we must state that owing to present conditions prices are subject to alteration without notice. All prices include any Tax payable.

### CLOTHING

### ANKLE SOCKS (Elastic Tops-Nylon Spliced)

### BERETS



### CAMPIONE RACING CAPS

Genuine Italian pique racing caps available either with or without the word "Campione" (Champion) printed on the front and under-




side of the small peak so that it reads correctly when the peak is turned up giving a real "Continental" appearance (as illustrated).

White with silky lining for cool riding. Elastic at back for easy fit. One size only ... ... 5/Similar cap in White, Blue or Red with two narrow contrasting bands running over the crown ... 5/6

### CAPES

QUELDA. Holdsworth's Popular Plastic Cape with welded seams and spot welded thumb loops. The material is really tough and is nearly untearable. All seams are welded so that there is no stitching to cause leaking or weakness. It is fitted with zip, set diagonally, with tag to prevent tearing. Zip has also cover to stop wet seeping through. Ventilated back (welded) to lay the condensation bogey. Special full cut style. In Gold or Matt Black. Size 45", Hem 135". 14 oz. ... 24/9 SPECIAL "JUNIOR"
Lighter plastic welded, 39", gold only 17/6 "STORM CHEETAH"
Plastic, Satin finish. Gold or Black: 42" 18/8; 45" Standard 20/2; Oversize 21/8



In plastic, waterproof and light, Gold or Black. Size 64" and 7" ... 4/11

QUEL-SPATS (As illustrated)
The ideal weather protection. Elastic under knee. Full protection right around leg. Press-stud fastening reinforced with spot welded backing. Plastic under-strap. Gold or Black, pair 9/9 "STORM CHEETAH" Spattees. Over toe and knee, Gold or Black ... 9/9

### **OUELDA LEGGINGS**

Sturdy leggings with gusset opening, fitted press-studs which are set in welded plastic washers to prevent pulling away. Reinforced over instep. Gold or Black. 30" and 32" ... 20/6 pair "STORM CHEETAH" Leggings.

Plastic, Satin finish matching cape in Gold or Black 12/5
"KLEANFEET". These handy plastic flaps assist in keeping your legs and feet dry. Elastic loops at the sides slip over mudguard bolts or wingnuts. Gold or Black 1/9

SADDLE COVER. Keep the rain from your saddle—one wetting will do more harm than a year's riding. Elastic all round and takes but a moment to fit. In Gold or Black Plastic ... 1/6 PLASTIC REPAIR OUTFITS

Handy size tube of special solution and transparent patching for repairing small tears in plastic ... 1/3






### CRASH HATS

EMPIRE CHAMPION. Shaped to fit well down over the head. Heavy frontal protection, tan leather with cream lining, N.C.U. approved. Three sizes 33/-SIX DAY. Square section ribs heavily padded (including crossbars) to give complete protection. Black. Three sizes.

CASQUE PRIMO (As illustrated). Deep-crowned Italian crash hat with front and rear protection and padded cross-members. Comfortable, stylish, medium weight. Black only, 54—60 mm. (57 is approximately 6%") .... 27/11



### WORTHY GLOVES



(See left) HIDE/SHEEPSKIN GLOVES. Hard wearing fleecy-lined Hide glove with smart knitted woollen wrist and reversed Natural Sheepskin back for extra warmth. With finger and thumb gussets in Hide, back of thumb being Sheepskin ... 25/3

GAUNTLET. In guaranteed solid hide. Dark tan, separate forefinger. Gusset at side of forefinger and bag ensures very comfortable fit. Warm, lined throughout, soft gauntlet

which effectively prevents the cold creeping up your arm. Sizes: Small, Medium and Large ... 24/3

### NATURAL SHEEPSKIN MITTS


(See right) This full bag mitt, has the long silky-textured fleece turned inside, with reinforced thumb and ample extended cuff which may be turned down ... 24/9

KNITTED WRIST MITT. In strong tan hide, with warm lining ... ... 19/6
First finger separate as above ... 21/6




### GLOVES (continued)

WORTHY LEATHER PALM (illustrated) Close woven cotton, Black/white marl. with warm backing and ribbed wrist for warmth. Complete palm, front of fingers and side of index finger reinforced by supple Cream leather for hard wear. Smart and handy. Small, Medium and ... 11/3 Large ...



WORTHY COTTON. As above, but

without leather. Surprisingly warm, ideal for Spring and Autumn wear, takes the nip out of early morning and evening rides, easily stowed into pocket for rest of day 4/11



### JACKETS

### THE "EVEREST"


This popular Jacket has two deep zipped breast pockets and two ample lower pockets set at the correct angle for use when strolling around. There is the usual full cut across the shoulders to give an easy position when riding. Full-length zip and strapand-buckle adjustment on hips. In a fine Rayon Gabardine with silky surface and lined throughout in

"shot-silk" material. In Black, Green or pleasing Smoke-Grey. Sizes 34"-42" Large sizes (44", 46") extra.

LADIES' "EVEREST". With flapped lower pockets and elastic at waist for comfortable shaping, 32"-38" 52/11

### THE "SUMMIT"

Similar in appearance to the "Everest" this coat is designed to withstand really cold weather. Between the main body of the Gabardine and the smart shot-silky finish lining, is inserted a heavy insulating and quilted material. Ample carrying space is provided by two welted lower pockets and two at the breast fitted with zips. In Black or Grey. Sizes 34"-42" 65/9 Large sizes (44"-46") extra.



### PANTALONS de PARIS

Described by "Cycling" as the only 100 per cent, satisfactory cycling trouser. The Pantalons are cut on fairly close lines with a very small "fall-over" at the knee. The wide elastic band can be turned under the material without the discomfort associated with straps and buckles, giving a very neat appearance. The design cuts wind resistance to a minimum and keeps the trousers clear of the chair and back wheel.

### GREY and BLACK WHIPCORD.

Smart and extremely hard-wearing, whipcord has proved a boon to the hard-riding Clubman. Fitted with double seat, four pockets, an adjustable elastic back, belt loops and brace buttons.

Men's. 28"—40" ... 53/11 Ladies'. With zip fastening at side. Two side pockets, 24"—32' 53/11



### HOPSACK AND TWILL

Small pattern superfine Hopsack material in Durham Green and Mid-brown. Smooth heavy twill in Brown or Blue. Light to wear, these materials are close woven and will keep out the wind. Cut as Whipcord. In Gent's sizes ... ... ... ... ... ... 49/11

### The latest CONTINENTAL PLUS 1's

In Silicone Proofed material with Green and Yellow, Red and Orange or Blue and Yellow minute flecks superimposed on a neat "modern" Black and White tweed. These attractive mixtures have a pleasing and "different" appearance without being over bright, making a welcome change from the more usual plain colours. Cut closer and shorter than the standard Pantalon the Plus 1's have two buttoned rear inset pockets and a foam-lined shirt retaining extended waist band with elastic adjusters. Gent's only 28"—34"

### TROUSERS

JEANS. The only genuine all-purpose garment suitable for hacking, working or casual wear. Hard-wearing thick cotton drill, black with contrast stitching, zipped hip pockets and fly. Two "stroller" and one ticket pocket in front. Gent's only ... ... 25/10

### RACING JERSEYS & SHORTS

### WOOL ROAD

Close-knit from fine wool. Crew neck fitted with zip, pockets front and rear. Collar and sleeves trimmed to match double chest band.

In National colours: Gt. Britain, France, Italy and Belgium, with 3" bands ... ... 44/6
To special order (minimum 2) 46/6

wool TRACK. To special order only. Close-fitting Crew neck with zip, collar and sleeves trimmed to match double chest band ... 38/8

N.B.—When ordering special Road or Track vests, supply sketch, specify width and position of bands, pockets required, etc. More involved designs at extra cost.



### WORTHY RACING SHORTS

These are supreme and we suggest that you check the "Worthy" label and ensure you obtain the genuine article.

WOOLLEN with CHAMOIS SEAT. By far the most popular short on the British market. Genuine fast colour. Warm and hard-wearing.

Path Pattern. Inside spanner pocket. 30", 32", 34", 36" ... 28/8

"Continental" Road Pattern with seams at sides—so much more comfortable than the usual pattern and which enables the "U" type crutch to be incorporated. The longer legs and chamois insert which have proved so popular over past seasons have been retained. Hip pocket. Sizes: Small, Medium, Large ... 37/6

SILK LUSTRE MATERIAL with CHAMOIS SEAT. Keeps its shape, fits closely and always looks smart.


Path Pattern with "U" type crutch. Outside pocket. Sizes: 30", 32", 34" ... ... ... ... 30/9

Genuine Continental Madison style. Reinforced back that will not pull away. After many attempts to obtain the right article we can positively recommend these ... ... ... ... ... ... 39/6

HEAVY GRADE COTTON. Sizes 32" and 34" only. With Chamois Seat ... 15/11 ... With Cotton Double Seat ... 11/3

### WORTHY SHORTS

A beautiful short in tasteful Grey 55 per cent. Terylene/45 per cent. wool mixture good weight. Cut on close "Continental" lines, fits snugly at waist with zip type adjusters, double button and extended band. Two side pockets, two inset rear with neat buttoned flaps. Shorter legs, discreetly cut, allow full movement without gaping. Dirtresistant and non-creasing, this material is so hard wearing no double patch is fitted. As smart off the bike as when riding, ideal ... 59/11 for Continental holidays 200





70% ACRILAN. In modern ALL-ZIP style. Zip fly, two zipped rear pockets (inset), Zip type adjusters to the extended waistband which bears a foam rubber shirt retainer. These Shorts are not cut quite as closely as the Terylene Shorts but have slightly shorter legs than standard. A further point which will be specially appreciated by Continental Tourists, is that one of the hip-pockets is large enough to take a passport or full-sized wallet. In a pleasing Bronze/Lovat shade these shorts are really smart on or off the cycle (no double seat necessary) and will give comfort and hard wear ... 52/11 33532 6.64 7222 + 4.4 ... ... 40.0



WHIPCORD. The Original Whipeord Short which year by year has increased sales proved by the test of time to give the longest

Two side and two flapped hip pockets. Correctly placed large double seat. Extended waistband with adjusters. You will find that these shorts have just the amount of strength to wear well whilst not being too heavy for summer use. In Rich Brown, Grey and Black. Gent's 28"—40". Ladies' (side zip. no hip pocket) 24"—32" .... 39/11

VELVET CORD super quality genuine Fustian. Soft and hard wearing. Double seat, two side and one hip pocket, full cut, with good rise at back. Rich Brown shade. Gent's 28"-38". Ladies' (side zip, no hip pocket) 24"—32"

POPULAR. Lightweight Black Twill. Quite hardwearing. I usual "Worthy" cut for comfort. Gent's only. Sizes 28"—34" 19/11

### WORTHY STOCKINGS

The QUADRILLE (as illustrated). Continental pattern diamond hose, all-wool with a bold, clear-cut design and elastic tops. Navy with Red/Blue diamonds, Grey with Black/White, Green with Red/Yellow and Fawn with Green/Red diamonds. Good value, sizes 9"—11½" ... 11/6

MEDICI. In heavy knit "stretch" Nylon patterned similar to Richelieu. Crisp White only. Will wear for ever and wash and dry with the minimum of trouble. One size 7/11





RICHELIEU. The original French style stocking introduced by Holdsworth to the English market. To ensure that you obtain the heavy hard wearing stocking, fancy knit to the toe, in strong natural cotton, look for the WORTHY mark on the foot. Definitely the hardest wearing sock available, this practical garment is very smart, the open knit following the line of the calf closely. Elastic at top, Nylon spliced.


White, sizes  $9''-11\frac{1}{2}''$  ... ... 6/6 Blue-Grey or Fawn, sizes  $10''-11\frac{1}{2}''$  ... 7/6

DIAMOND PATTERNED. Another attractive stocking with elastic top, Nylon reinforced at heel and toe. Pleasing overcheck (as illustrated) Diamonds in combinations of Green and Grey, Maroon and Brown, Double Blue, Grey and Dark Grey, all overchecked in contrasting colours. Moderate blended shades that please all, Sizes: 10"—11\frac{1}{2}" 7/11

PLAIN WOOL. In fine soft lightweight wool with elastic top. Black, Saxe-Blue, Sedge Green, Wine—not too thick for your racing shoes—ideal for training. Sizes 10"—11½" in half sizes ... 9/2

With TURNOVER TOPS in heavier wool for winter riding in Dark Fawn, Lovat, Bottle Green, Saxe-Blue and Maroon.

Sizes 9"-111" ... 9/-




### CRODONI RACING SHOES

Italian Racing Shoes "Il Crodoni" are the latest Craftsman shoes to be imported into Britain Styled in the inimitable Italian fashion, the designs are carried out with the best materials by specialist workpeople in that cradle of Italian fashion—Milan.

We are happy to be remitted to introduce to the discerning British Rider the following two models:—
"VELOCE". With its sweeping lines


and slender waist, perforated upper and pliable sole, supported at the instep by a light steel support, will appeal to all riders who are seeking the lightest and coolest of shoes. Lacing down to within an inch of the toe and cut well up the front, the ankle is neatly trimmed in



White.

Designed as a purely racing shoe (not suitable for Club "Football" or Cyclo-cross) the light sole carries no heel ... ... 59/6

"GIRO". A Road Shoe with the latest ideas of comfort. Well spaced larger perforations in the upper are combined in the Continental fashion,



with eight holes in the sole. These latter holes serve a double purpose; in hot weather they keep the feet ideally cool, whilst in rain, when normal shoes become "waterlogged", they enable excess water to run

out and avoid the annoying squelch of a waterfilled shoe.

The sturdy sole of the "Giro" with its four-point steel support eliminates foot fatigue over the longer distances ... 71/9

### **WORTHY SHOES**

NEW ROUGHSTUFF. The latest design of the original "off the track" shoe. The uppers are made from special "TOUGHIDE"


leather with a plain toe and webbed tongue to keep out wet. Solid bend sole with narrow sewn welt. Stiffened back. Finished in Scotch grain. Dark Tan. Approved by the Roughstuff Fellowship. Sizes 6—11½ (12 extra) 57/9



### WORTHY SHOES (continued)

ROUTIER. Built on a French last the curved back ensures a close fit through-

out the whole life of the shoe, never getting the down-trodden look. The semi-stiffened toe keeps the shape at the front and relieves the toe of pressure from the toe-clip.



Made from specially selected soft box calf, smartness is enhanced by the popular triangular eyelets and white leather trimming. Sizes 5"—11½" (12" extra) ... ... ... ... ... ... ... 46/9


GRAN SPORT. With the popular "soft toe" which adapts itself to the shape of the foot. The

fully chromed soft black box upper is reinforced at the ball of the foot with four rows of stitching converging into the front strapping preventing "spreading" and ensuring a close fit during the entire lifetime of the shoe.

The soft stiffening at the back of the heel provides a good grip. Good sole carried right through to heel which is of "V" formation. Modern All-black finish. Sizes 3-11\frac{1}{2} (12 extra) ... 39/11

RECORD. These shoes are such outstanding value that they have been widely copied. Compare these points in a genuine "RECORD". Black

creamed leather trimmed around top and down front opening with red leather (not plastic, which has a tendency to split). Leather insole (not composition) which enables a satisfactory repair to be made when necessary.




Full light heel. Triangular eyelets. You can be sure of a Genuine Record shoe by the "Worthy" brand under the instep. Sizes 2—111 (12 extra) ... 37/11

RENOWN. Latest of the "Worthy" range. A hard-wearing, all purpose shoe at a popular price. Of first-class appearance, the soft creamed Black upper is set off with Grey leather trimming at the ankle. Very small lace holes in the front strapping which runs down to the toe, and a small pedal patch, add neatness to a sturdy shoe. Sizes 5—11½ only ... ... ... ... ... ... ... ... ... 32/6

**REG HARRIS SHOES** 


SUMMER SPRINT (Illustrated). Light and supple, drilled for coolness. Rolled edge, sewn inside to prevent chafing. Stiffened at instep ... WINTER SPRINT. Similar but without holes in the upper 49/11 One-piece sole horseshoe heel, distinctive joined ... 49/11 front FALLOWFIELD. Fitted with "breather" eyelets at instep and wide strap patches on both sides to give support ... 39/11



This rider's design for a smart but sturdy ladies' shoe. In soft black calf. Sizes 2—7 only ... 47/6

### SHOE LACES AND PLATES

The correct length lace for cycling shoes, difficult to obtain at shoe repairers, 30" ... 4d. pair ARCHAMBAUD (illustrated). Alloy blocks, which minimise pedal plate wear, are steel rivetted to a steel plate to form a deep slot. The steel plate will not crack and spreads the thrust over a large area 3/9



CAMPIONATO. Bronze plate with deep slot ... ... ... 3/6

PETERS LEATHER with deep slot in alloy strip set in leather, easy fitting, silent tread ... ... 3/
PETERS light dural, very strong, will stand up to bending and blend into sole of shoe ... ... 1/11

LEWIS. Extruded alloy plate, with deep pedal slot and groove for fixing pins 1/11

KEN RUSSELL. Rubber, single slot 2/-

WORTHY SWEATERS AND JERSEYS
ROUBAIX. Made from a special closeknit all-wool material, which can only be
obtained abroad. Light in weight it is
close enough to keep out any wind. A
flat "cheval" collar finished in heavy
woollen rib to match the vertical bands
from shoulder to waist, give a most
distinctive appearance, looking equally
attractive for cycling or for evening wear
with a pair of slacks. This sweater will
retain its shape and smartness for longer
than most. In two shades, Medium Grey
and Dark Lovat. Sizes medium and
large .... 55/3



### "PICK" SWEATERS made exclusively for Cyclists



LE PARIS. Although illustrated, we feel that no sketch can do justice to the smartness and quality of this British knitted sweater. The stitch used ensures that the garment will keep its shape and not sag. This pure wool garment has a full length zip and the distinctive flat collar enables it to be worn with or without a jacket.

The collar, cuffs and wrists are trimmed with neat con-

trasting bands.

Latest colours: Saxe-blue, Crimson, Lovat and Bottle Green or Black.

Sizes: 36", 38", 40"

75/-

Larger sizes extra (42"80/3etc.)

woollen LEG WARMERS. Worn on the coldest morning, will keep the knees and ankles working smoothly. Heavy ribbed wool coming well up the thighs, strap under instep. Black only 24/11

WOOLLEN ARM WARMERS. A very handy little item that should be part of every racing man's wardrobe. Saves the expense of a long sleeve jersey and can be removed should the arms get too warm. Heavy wool ribbed at top and wrist. Black only ... 10/6






These practical garments have proved so popular among cyclists for riding down to road events as well as for training and 'between events' wear, that we have designed a special 'cyclist's cut'. The legs, shaped to fit closely, have long zips at the ankles to keep clear of the chain and two side pockets. The top fits closer than Athletic suits to cut wind resistance. Two styles.

The "TRAINING SUIT" with flat collar, full open-end zip, and breast pocket with buttoned flap and voke in contrasting colour. These suits are Black with Amber contrasts (double seat) "WORTHY" Track Suit (as illustrated opposite). Ample cut with double front. Zips at ankles and neck, elastic at waist and wrists. Hip pocket. Wind-resisting fleecy-backed material in Black, Maroon, Royal Blue. Three sizes "POPULAR". An inexpensive track suit in warm, fleecy-lined material. Crew neck style with full shoulder cut for easy movement. Pocket in trousers elastic at waist and Available in Black, Navy, Cherry or Steel Blue. Medium size only 42/6




### TRACK MITTS




croponi. The latest design of track mitt to be produced by this famous firm who make for the top flight Italian professional riders. Made of extremely supple reversed chamois kid, the stepped fingers are neatly finished at the edges for comfort and the reinforcement patch is shaped to the palm. An unusual crocheted back

is of very "open" pattern for maximum coolness but, made in strong thread, maintains its shape and, assisted by the adjustable wrist strap, is always a good fit. The thumb back is similar in design and without doubt these are the best mitts ever made by Crodoni .... 29/6

this glove which proved most popular, now has an improved appearance being of Soft Rich Tan leather institched for greater comfort and smartness. Back of hands and thumbs are Italian hand-crocheted open-work giving a close fit and re-




taining its shape. Reinforced palms, sized half fingers and press stud fastening at wrist in six sizes 0—5 ... ... 26/6 WHITE ITALIA. In soft White leather with hand-crocheted back in Italian styling for cool close fit. Institched for comfort, smartly stitched palm reinforcement, sized half fingers and press stud fastening at wrist. Available in six sizes 0—5 ... 21/11



CREAM HIDE. For hard wear. Half fingers stepped in sizes. Fully perforated backs with "Butterfly" reinforcement at thumb to take all wear on brake or bend. Sizes 7—10½ ... 18/3 BLACK and WHITE. Soft White leather with Black reinforcements on palms and Black piping. Very smart and light. Stepped fingers and perforations on backs. Sizes 7—10½ ... 15/3 MORDANT. Unbeatable value in soft Light Fawn leather. Reinforced palm ... 9/11

### SUN SPECS

NUPROSAL (illustrated).
Modern deep Crookes' tinted lenses, stops sun and grit 10/6 CLIP ON. For spectacled riders. With round lenses 7/8 BUSH GLASSES. Extra large round tinted Crookes' lenses in Gilt frame ... 4/6



### ACCESSORIES and SUNDRIES

### "WORTHY" BAGS

"EVERYMAN". Made from special composition, looks like leather, wears like leather. Waterproof. Keeps shape. Two side pockets, strap fastening. Map pocket on top, turn-buckle fastening. Size of Bag: 12½" x 7½" x 8/5". As illustrated ... 48/6

CAPE ROLL. Of heavy grade waterproof material reinforced with leather. 18" straps allow



it to be fixed vertically or across the saddle, the roll and tool pocket remain fixed when cape is removed. Pocket  $2\frac{1}{2}$ " x 1" and 6" deep holds all normal repair outfits easily ... ... 7/6

### PANNIER BAGS

**DEVONIA.** Pannier set consisting of two bags, each  $11\frac{1}{2}$ " x  $10\frac{1}{2}$ " x 4". Two large rear pockets with hooded tops. Made in heavy grade leatherette. Piped edges, leather reinforcements to sides. Straps to flaps. Fitted with Quill quick release fittings 43/11 pr.

HIGHLANDER. Made from heavy duty black duck material. Long fully chromed straps and chafing protections. Size overall, 12" x 11" x 5". Pockets 8" x 4½" x 1½" (will take maps, touring handbooks, etc.) fitted with hooded tops. Stout carrying handle on top of each bag. Fitted with Quill Quick Release fittings ... 65/8

HANDIBAGS. Strong 5 thou' Plastic to fit inside Panniers 3/6

### SHOULDER BAGS

"SACCO" (illustrated)


Continental-type Kit Bag. Made in heavy-weight waterproof material with strong double cord fitted through brass eyelets to leather tag by spring clip. Red, Blue or Green plain colours or various smart patterns. Handy size ... ... 9/11

Larger size in Red, Blue or Green only 12/9

MUSETTE. Made from rubber-lined material with wide shoulder strap. 14" wide, 10" deep. Red, Green, Blue, Black or Yellow

### PANNIER BAG CARRIERS

The QUILL. Light, but strongly made from best quality tubing. Platform 16" x 5", enamelled jet black with cad plated adjustable clips. There are no sharp corners on a "Quill" carrier to damage your bags ... 17/6



"CONTINENTAL". Light triangular support from platform to mudguard eyebolt, on drop-out. No clips to chip enamel, top support from brake pivot bolt, will take Release fittings, finished in Silver 10/6 FRONT. Similar, bolts over pivot bolt and hub spindle ... 12/6

### **BAG SUPPORTS**

BROOKS. Rigid all-chrome support. Detached by wing nut 5/9 LLOYDS. The "Spring-on" support, made in two seat stay sizes. ½" or ½". Black ... 5/7. Polished Alloy ... 6/7 HIGHWAY. Tubular support with 8" square platform held by rigid arm to a clamp, fitting on seat tube. Black 9/9 Silver 10/9 KARRIMOR. Standard uplift. Quick release. Chrome plated 5/6 KARRIMOR. Tourist uplift. Quick release. Chrome plated 8/9

### BELLS

LA CLAIRETTE. Spring ring bell. Polished alloy ... 2/- each Also highly polished Red, Blue, Gold, Green ... 2/3 each CLUBMAN. Clamps under expander bolt and fits at side of the stem. Single "ping" type. Polished alloy ... 1/10 Also highly polished anodised Red, Blue, Green, Gold ... 2/-VICTREE. Super "Sonnic", Coil spring striker. Polished and coloured ... 1/11




### BOTTLES

ALLEZ! Polythene. Corrugated sides for easy handling. Ideal for "handing up" will stand a lot of knocking about. White, Red or Blue ... ... 2/6 SIMPLEX. Ice Blue plastic bottle with flat cap. Fits all standard cages 3/11 HIP FLASK. Natural colour, weighs only 1 oz., holds 4 pint ... 2/CORKS with alloy cap ... 6d. each DRINKING TUBES. Polythene 4d. each

### BOTTLE CAGES

ALLEZ CHROME in lighter gauge. Double 7/6 Single. D/Tube or H/bar 4/6

PETERS WIRE. Heavy gauge chrome-plated single for handlebar and down tube, both with bottle lead-in for easy use ... 7/6



### BRACKET FITTINGS




CAMPAGNOLO. Cotterless axle suitable for the new chainset complete with fixing bolts and two cups. ROAD for double set 41/6

CAMPAGNOLO. Standard sets for use with cotters. Usual high finish with hard chrome bearings ROAD for use with double set PATH for single chain ring. Complete set ... ... 39/6 STRONGLIGHT Cotterless No. 97 for 49D and 57 chainsets. 97/32C for single ring on 49D. 97/32RN for double 49D and 57 35/-STRONGLIGHT Standard No. 34 for use with cotters. State axle length. 125 mm. for single and 132 mm. for double sets ... 18/9 GNUTTI Cotterless set for double only, complete with key ... 14/3 B.W. "Featherweight". Continental cups and L/ring ... 6/3 B.W. Hollow racing axles for single or double ... 6/8 CHATER-LEA Axles. ½" balls (No. 1615), ½" balls (No. 1007) 4/6 For double c/sets. ½" balls (No. 1615). ½" balls (No. 1240/1) 5/- ea. CHATER-LEA Cups. Fixed or adjustable. Chrome ... 3/3 ea. CHATER-LEA Locking Rings ... 1/10 ea.

### BRAKES (Spares stocked for all the following)


MAFAC "RACER". A most efficient brake Using a centre-pull cantilever action, the arms, independently sprung, pivot on bronze bushes, against a central movable pivot, enabling the blocks to follow a buckled wheel. Giving positive fingertip control. Fitted with hooded lever and cable adjusters ... 62/6

"CRITERIUM". Same action as above with brazed-on fork pegs to take pivot fittings. Hooded lever and adjusters ... 51/-



CRITERIUM TANDEM. Built similar to the above but with longer and stronger arms to give tremendous leverage to the longer blocks and shoes employed. Long rear cable, etc. ... 61/6

### BRAKES (continued)




"COUREUR PLUS". All Nylon bushed, quick-release, with A standard or B deeper stirrup both with Superhood Plus lever 42/-Anodised stirrup and lever, either Red or Blue 45/- "Grandtour" Nylon pivot bush, quick-release, extra depth for touring machines and Touring lever 38/6 Any of the above with extra length cable for Tandem 2/- extra

### WEINMANN VAINQUEUR 999 (illustrated).

The highly finished centre-pull brake now fitted with quick-release. The brake arms operate with a compensating cantilever action through Nylon bearings. With polished hooded levers and white lever hood rubbers

Anodised Red, Blue or Silver as above 69/With lever hoods but less quick-release 61/6
Anodised Red, Blue or Silver 65/No. 730/730. Side-pull with Hooded Levers.
No. 500/730. With Shallow Front Stirrup.
Both with efficient quick-release 41/9 pr.
Anodised Stirrups and Levers, matching cables. Red, Blue or Silver.
No. 730/730, 500/730 45/- pr.
No. 890/890. Deeper stirrups, non-quick release. Racing levers 38/- pr.
No. 730/810. Tourist model, short-reach levers 33/- pr.



### BRAKE LEVERS



MAFAC (illustrate	d) Hoo	d and	adju	ters	13/3	each
MAFAC. Lever of	only	***	2131 12	6505	9/6	10
WEINMANN 18" WEINMANN "Tou	clip. I	arge	Hood	174	7/6	111
G.B. "Superhood	Rapide''	(anic	k-rele	3.1.30) ase)	12/6	151 51
G.B. "Superhood 1	Plus'	T. P. (B.)		333300 33330	10 6	757
G.B. "Arret" finge	er groov	cd	Chita		8 6	300
G.B. "Touring"	18.60	555	5.53		7/6	628

### BRAKE BLOCKS

MAFAC. Black only 9d. pair. Complete with shoes	2/9	pair
WEINMANN STUDDED. Usual Swiss value. Red or Grey	10d.	**
Complete with shoes, nuts and bolts	2/3	**
SPHINX. Hard-wearing, will not harm light rims	9d.	
City District (MOS)	9d.	
G.B. Studded (285) Coureur (284). Soft only		
Complete with shoes, nuts and bolts	1/11	613


### BRAKE SUNDRIES

MAFAC Hood rubber 6/- pa	ir. V	Vith :	adjuster	ž w	7/6	pair
G.B. "Arret" half hood with adjust	ster, sir	nilar	Mafac	***	5/6	,,
G.B. Hood (state type of lever).	White	200	***	54445	4/6	• •
G.B. Lever sleeve. White						
WEINMANN. Hood. White		. Le	ver sle	eves	1/6	**
CONSTRICTOR. File pattern grip					3/9	**
CONSTRICTOR. Lever sleeve	****	77.70		***	3/-	**

### CHAINSETS

CAMPAGNOLO. Double Cotterless. The long awaited chainset has been undergoing severe testing at the hands of leading Professionals

for the past twelve months, prototypes already several World Titles and two Major Tours to their credit. Made to the standards expected from Campagnolo the superbly finished alloy cranks finest to machined the limits, ensuring that both rings run perfectly true. The rings, which are not but machined pressings from solid blanks, fit on square shoulders either side crank the arms. clamped together by five screwed bushes which are tightened by Allen key. A four-sided taper spline on the axle is locked into the crank by means of a large



### CHAINWHEEL SETS WILLIAMS. B100 61", 61" or 7" from 36-60, 5 pin screw 25/3 C34 61", 61" or 7" from 32-60, 3 pin screw or sleeve fitting: Single ... 25/6 Sleeved ... 27/3 C34D double 40/3 C45 61" or 61" from 44—50 tooth, 3 pin sleeve fitting only: Single ... ... 27/3 C45D double ... 40/3 N.B. Prices are for up to 48, for larger sizes add diff. on rings below. B100, C34 and C45, 63" crank length (fluted) extra per pr. C1000 61" only, from 32-60 (C34 pattern ring), 3 pin screw fitting: CHAINRINGS WILLIAMS. C34, C45 and B100 \( \frac{1}{6}'' \) or \( \frac{1}{6}'' \), up to 48 tooth 10 - Ditto, in larger sizes 49—52, 11/3; 54T 12/6; 56T 14/-; 58T 15/3; 60T 17/9. Inch Pitch 3", extra 2/3 on above, e.g., 23 tooth 12/3. C1032 double $\frac{1}{12}$ " screw fitting inner 46, 47 14/-; outer 49, 50 16/- C1200 Single $\frac{1}{12}$ " or $\frac{1}{12}$ " screw fitting 44, 46, 47, 48, 49, 50 13/3 C1232 double $\frac{1}{12}$ " sleeve fittings, outer 49—52 18/- inner 46—49 14/-Replacement sets of sleeves, state: single, double \{\pi' or \(\frac{1}{2}\pi' \)... 3/3 SIMPLEX. Double (set centrally or inside). Inner rings 45-49 tooth. Outer rings 48-52 ... 222 Ditto, with Dural rings in same sizes 49/9 STRONGLIGHT Steel, 46—48 14/6; 49, 50 15/9; 52 18/9. 49D Alloy double rings for cotterless set, 5 pin, outer, 49-52 40/-: inner, 44-48 29/6. No. 57 set. Any two single alloy rings 40-46 25/6; 47-49 27/6 50-52 31/6; 53 and 54 39/6; 56 tooth 47/-. CHATER Single. \(\frac{1}{2}'' \times \(\frac{1}{2}'' \) 36, 38, 40T 18/-; 42T 18/6; 44T 19/-; 46T 19/6; 47T 20/-; 48T 20/6; 49T 21/-; 50T 21/6; 52T 22/6; 56T 24/6. 1" x 1 36, 38, 40T 19/6; 42T 20/-; 44T 20/6; 46T 21/-; 47T 21/6; 48T 22/-; 49T 22/6; 50T 23/-; 52T 24/-; 56T 26/-. 1" x 3" 22T 20/6; 23T 21/-; 24T 22/-; 25T 23/-; 26T 24/-; 27T 25/-; 28T 26/-; 29T 27/-. Double, with adapter, 46/49T 54/3; 47/50T 55/3; 49/52T 57/3. CRANKS KIDDIE CRANKS. A heavily chromed fitment that reduces the effective crank length by 2". Quickly and easily bolted on or removed CHATER. Three-arm fluted square cranks $6\frac{1}{2}$ ", $6\frac{3}{4}$ " or 7" (Price

all bottom bracket fittings and extractor tools ... ... 135/-


### CHAINS

CHAINS
REGINA 3/32". Made by the famous Italian firm for use with their Freewheel which is "closer" than average. Very flexible because of less width over the rollers, ideal for all derailleur gears 12/9 YELLOREX. French make \frac{1}{2}" \frac{6}{8} \frac{3}{32}" \frac{9}{10} REGINA 3/16" x 1" block chain as used by World Pros' \frac{33}{-10} RENOLDS 3/16" block \frac{58}{9} Twin roller \frac{11}{6}
CHAIN ADJUSTERS
"ALLEZ" LONG PATH. Specially designed for use with the heavy-plate W. F. H. Long or Chater Path Ends 3/3 pair CYCLO. For Forward Drop-outs 1/
CHAIN WHEEL BOLTS
CAMPAGNOLO. Allen key fixing screw and bushed nut No. 12. Ter. Bushed nut, screw, separator for 49D ring CHATER bolts—set of three bolts
No. 57. Bushed nut, screw and washer for 57 set ring
Genuine WILLIAMS. For Single
CHAIN RIVET EXTRACTORS
N.B.—These extractors are not suitable for use with Renolds Elite chains, which have 'shouldered' rivets.  CYCLO RIVOLI for \{\frac{1}{2}\]' and 3/32" chains, hardened revolving peg. Instructions show how to replace link with remover 6/-  FIFON for \{\frac{1}{2}\]' and 3/32". Gunmetal with steel peg. Very compact.
COTTER PINS
CYCLO (illustrated). Latest asset to the home mechanic. Allows the cotter to be drawn out with a spanner 2/1 pair STANDARD size. Chrome plated 9d., CONTINENTAL 1/6, "ALLEZ" Extra long. Cadmium plated 1/- pair WILLIAMS. Chrome plated 1/1 CHATER. Heavy chrome. Short 2/6,
EMBROCATION, etc.
ELLIMAN ATHLETIC RUB. The good old favourite. Made from the finest ingredients
ENTRY FORMS  R.T.T.C. Forms (Blank at top) 4/- per hundred  Plus postage 100, 1/-; 200, 1/9; 300, 2/-; 400, 2/3; 500, 2/6.

### MULTIPLE FREEWHEELS

### REGINA GRAN SPORT

The Italian block which is used almost universally on the Continent and in this country. Suitable for use with all gears, it is designed with flush back and narrow body, leaving ample spindle on Quick Release hubs. Claimed to be the smoothest running freewheel, the races, set as far apart as possible, are ground and lapped to take the full amount of \( \frac{1}{8} \) balls (no spacers). Compare Regina to any other and note the superior finish and smoothness of



operation. All cogs detachable 13-28T. The 13 tooth top sprocket requires a different body and second cog to the standard freewheel. Available 13/15 or 13/16, all other cogs are interchangeable.

5 SPEED. 13 Top, 15-16 2nd; 14-16 top, 15-18 2nd; 16-20 middle, 17-28 (no 27) bottom two cogs ... 21/6 4 SPEED. (Can be converted into five by exchanging smallest cog for double cog). Sizes as five speed ... Bodies only, Standard and for 13 tooth top 6/6 Spare sprockets 13 to 28 (no 27)...

CYCLO. 3. Top, 13-16; Middle, 17-19; Low 18-28; \(\frac{1}{2}\)''

CYCLO. 4. Top, 13-16; 2nd, 17-19; 3rd, 18-25; 4th, 19-28, \(\frac{1}{2}\)''


BENELUX 3. Top, 13-16; Middle 15-18; Low 18-28; \(\frac{1}{2}\)''

BENELUX 4. Top, 13-16; 3rd, 16-20; 1st and 2nd, 18-28; \(\frac{1}{2}\)''

BENELUX 4. Top, 13-16; 3rd, 16-20; 1st and 2nd, 18-28; \(\frac{1}{2}\)''


BENELUX 5. Top, 13-16; 3rd & 4th, 16-20; 1st & 2nd, 18-28

BENELUX 5. Spare Coes \(\frac{1}{2}\)'' or \(\frac{3}{2}\)'' 13T to 28T 3/-25/9 29/6 21/-25/3 24/3 28/4 BENELUX. Spare Cogs. 1" or 37" 13T to 28T T.D.C. 3. 16-18-20. Flush back 1" 3/3 14/-



### FREEWHEEL REMOVERS

REGINA. Solid block with heavy dogs to engage freewheel. Centre hole large enough to clear Continental hub nuts. Case hardened 3/3 CYCLO for Standard or Benelux 2/6



### GEARS

### (All Derailleur Spares Stocked) CAMPAGNOLO GRAN SPORT

The "KING OF GEARS". Equalled by none; envied by all. Its patented action ensures a rapid and positive change under any conditions. The cantilever arm movement, machined from bronze, obviates the use of a rigid arm which is always liable to accidental damage. The roller bearing cage is fully supported in all positions, being locked to the body instead of "floating" on the end of a shaft. Moving parts liable to wear are reduced to four pins which are

fitted with phosphor-bronze bushes, whilst the two pulley wheels are of exceedingly hard-wearing high tensile

steel. The precision workmanship.

the materials used and the excellent finish combine to produce a gear which will give first class 2 service.

Dominating the Continent again in 1959. Winning all the major Tours and Classics including the Tours of France and Italy.


GRAN SPORT Gear .... 80/ With Bare Cables and Clips 85/-

GRAN SPORT FRONT CHANGER			50/-
	0.0	4(+(+))	2347
With Bare Cables and Clips	-:-:-	41400	53/6
ENSEMBLE (front and rear, with twin	lever		130/-
With Bare Cables and Double Clips	40.0	7.5 COLUMN	138/6
Pump-holder, incorporated in Lever			tra 2/8
Handlebar control	extra	each ge	ear 6/-
Sport Gear. Single roller (16-22 only)	93434	¥54.85	43/6
Sport Front Changer (Hand operated)	90906		2216
[ [프로마 W ] 프로마 ( [ 프로마 ( 프			

### CAMPAGNOLO SUNDRIES

Lever Rubbers ... 1/- Transfer... 6d. Allen Key 2/-; Roller Cone Spanner 1/-; Spoke Disc 3/4


### BRITISH BENELUX



MARK 12. Pre-selective, with Plastic lever matic roller tension. 50/damper MARK 7 (illustrated). Improved version of the popular Benelux gear with redesigned roller cage, for either 1" or 32" chain. Adjustable arm movement stop and simple chain tension control ... MARK 7 ENSEMBLE with twin lever cable control to Mark 7 gear and "SHIF" front changer
"SHIF" FRONT CH 64/-"SHIF" FRUNT CHARGE for \$" or operated from left-hand lever, for \$" or 28/4 FRONT CHANGER. Cable " chain "SHIFWIN" ditto with twin lever 38/4 "SHAN" FRONT CHANGER, Rod control from swivel clip on seat tube giving positive change over Tourist and Racing ratios

N.B.—Comprehensive range of spares for Campagnolo, Cyclo, Simplex and Huret Gears available from stock.

### SIMPLEX




"LJ 23". Cable-operated Changer for two or three rings ... 45/Competition De Luxe. Hand-operated changer ... 25/-

### HURET

ALLVIT. The star of the Huret range employing a moving parallelogram action, adjustable for 3, 4 or 5 speeds, drilled double rollers for adequate "chain-wrap" ... 80/-ALLVIT ENSEMBLE. Front and rear gears with latest twin lever ... 97/6 "Champion du Monde". "BOBET" twin roller gear with separate cable tension adjustment ... 42/6 "TOUR de FRANCE". The cheapest double roller gear ... 29/6 FRONT CHANGER. Cable ... 31/-Hand-operated ... 25/-

T.D.F. Ensemble, double levers 51/-




### STURMEY ARCHER HUB GEARS

Wide Ratio.	A.W. 3	speed		47/8	F.W. 4	speed	1000	51/1
Medium Ratio.	A.M. 3	speed	14.4	47/8	F.M. 4	speed	100	47/8
Close Ratio	A.C. 3	speed	cee+	55/9	F.C. 4	speed	7777	55/9

### HANDLEBAR BENDS

COPPI ROAD. The genuine Coppi Road Bend in strengthened alloy. One of the most popular bends here and on the Continent ... 22/6 "ALLEZ". Maes bend-the shape still most commonly used both here and on the Continent. In heavy gauge alloy, 18" diameter with bulged centre for rigid fitting in stem. 153" wide CINELLI. The famous Italian Chrome Steel Bend with brilliant finish. 18". Six shapes, as below, all at ... ... 20/-No. 11 San Remo  $15\frac{1}{4}$ " x 7". No. 12 Gran Fondo  $14\frac{7}{8}$ " x 7". No. 13 Koblet  $15\frac{1}{4}$ " x  $6\frac{1}{2}$ ". No. 15 Tour of Britain  $15\frac{1}{4}$ " x  $6\frac{1}{4}$ ". No. 16 Campione del Mondo  $15\frac{1}{4}$ " x  $5\frac{1}{4}$ ". No. 17 Corsa Strada  $14\frac{7}{8}$ " x 6". TRACK BENDS in heavier gauge steel, No. 14 Pista 141" x 71". No. 18 Madison 14<sup>1</sup>/<sub>4</sub>" x 7<sup>1</sup>/<sub>4</sub>" ... ... ... ... ... ENGRAVED Ferrule. Engraved as follows: No. 15 Tour of Britain, No. 16 Campione del Mondo. No. 17B Giro d'Italia G.B. ALLOY, with smart ferrule. Maes, R. H. Maes, Capo Berta, Pelissier, Olympic, Road Champion, Tourist 15!" ... 16/6 G.B. All-rounder. Flat with bulged centre ... G.B. EMBOSSED STEEL. Maes, R. H. Maes and Road Champion DAWES Engraved Alloy. Concorde, Compass and latest Certes 16/6

### HANDLEBAR STEMS



IL PRIMO (illustrated). Popular steel stem of strong lapped design with extension sloping slightly to drophead clip. Chromed with attractive three colour badge giving very distinctive finish. Excellent value.

24",	21"	***	555	7688		17/-
2½", 3½"	544643	3449	935		1000	18/-
33"	***	•••	77.7	12.22	27.7	19/-
41"	3.00	364963	*(***	***	(*)*(*)	20/-
44"	(\$1.44)	9562	994	1985	442	21/-

CINELLI. Increasingly popular, this fine Italian stem is renowned for the strength of its extra wide clip and heavy chrome finish. 2½", 3½", 4½", 4½" or 5½" ... 27/-

CINELLI BADGED stems, sizes as above. Very smart

G.B. Hiduminium Alloy—Expander 1\(\frac{1}{4}''\)... 16/-Ditto, 2\(\frac{1}{4}'''\) ... 18/- 3\(\frac{1}{2}'''\) ... 19/9

G.B. KROMO Steel-

G.B. KROMO Underslung (illustrated)—
3½", 4½" ... 27/6 5" ... ... 28/6

G.B. KROMO Merkens (downward curve) 27/6



### HANDLEBAR TAPE

There are many tapes available but "Allez" Twill and "Quelda" Plastic still maintain their place as the most popular. With their full 5-yard rolls and 3" width they are the best value obtainable.

TWILL. Stout Herringbone pattern. In Black, White, Blue, Yellow, Red, Green ... 1/11 roll "QUELDA" EMBOSSED PLASTIC. Self-adhesive. In Black, White, Blue, Yellow, Red, Green ... 1/9 roll GEM Embossed Plastic in 3 yard x 3" rolls. Black, Green, White, Red, Blue and Ice-Blue.

Translucent. Ruby, Emerald, Magenta and Sapphire Blue 1/- roll

### HANDLEBAR END PLUGS

CONSTRICTOR. The new plug with containers. Complete with solution and patches—room for spare bulbs, etc. ... 5/6

SHOCKSTOP all rubber. In Claret, Blue, Black, Green, Beige and Grey ... ... 1/- pair

DUNLOP. Black, Red, or Off White, with expander screw 2/6,


### HEAD FITTINGS

CAMPAGNOLO (illustrated).  The famous Italian firm offer two models, both precision ground for absolute accuracy the races being highly polished and coated with special hard chrome. The ROAD model is fitted with 22 x ½ balls and the PATH with 26 x ½ balls in each race. Providing care is taken to fit absolutely true these sets will give many years of perfect service	
HUB COGS	
$\frac{1}{2}$ " x $\frac{1}{6}$ " 12T to 16T 1/11 17T to 22T 1" x $\frac{1}{16}$ " 6T to 9T only. Central set B.W. $\frac{1}{2}$ " to $\frac{1}{16}$ " 14T to 22T	2/- 2/7 3/4
HUB TRACK NUTS	
CAMPAGNOLO. Designed for to spindle hubs and machined to limits and finish "ROSA" (as illustrated).  Bright cadmium Chromed "VENDOME" (Domed).  Chrome only	
HUB WING NUTS	
G.B. alloy lever pattern, front or rear  G.B. STURMEY pattern  HURET Chrome Plated Bronze, set of four  WEINMANN Polished Alloy, set of four  WEINMANN Anodised Red or Blue, set of four	pair 4/6 pair 5/6 6/6 9/ 10/6

### HUBS

### CAMPAGNOLO SOLID ALLOY RECORD


The very best. Used by Riviere during his amazing Hour Record. With solid spindle for track use, also fitted with Quick-releases for road work. Both types available drilled 32 x 40, 36 x 36 and 28 x 28.



TRACK. Large flange and single fixed only... 85/- pr., ROAD Q/R. Single gear sided only:

Small Flange ... 87/6 pr.

Large Flange ... ... 117/6 pr.




GRAN SPORT Alloy flanges on hard chromed steel barrels, with the original and unsurpassed single finger Q/release blocage. 32/40, 36/36, S/S/G, G/F, D/S/F.

Large Flange ... 99/9 Small Flange ... 69/9

SOLID SPINDLE. Gran Sport hubs as above less Quick releases. Available drilled 32/40 and 28/28 holes. Large Flange. S/S/G, G/F, D/S/F, S/S/F ... 72/6 pr. Small Flange. S/S/G, G/F, D/S/F, S/S/F ... 42/6 pr. F.B. SOLID SPINDLE HUBS. Small Flange. Gear/Fixed. 32 x 40 only ... ... 37/6 pr. S/S/Gear. 36 x 36 and 32 x 40 only ... 2000 ... 37/6 pr. S/S/F and D/S/F. 36 x 36 and 32 x 40 only ... 39/- pr. Sec. Large Flange. All drillings at the same price ... 75/- pr. S/S/G and G/F. 36 x 36 and 32 x 40 only. S/S/F and D/S/F. 36 x 36, 32 x 40 and 28 x 28 holes. CHATER-LEA small flange only. Front ... 20/- each Track nuts ... 2/6 pair Rear D/S or G/F ... 27/6 ... CONSTRICTOR. Quick Release Conversion Set. Skewer pattern. Set for rear wheel ... ... ... ... ... 12/6

### **HUBS** (continued)



### BRITISH HUB Co.

Most popular range of hubs which caters for all purposes.

AIRLITE with sturdy alloy flanges set on chrome plated steel barrels. Many types available.

LARGE FLANGE "Continental" (illustrated)
drilled flanges ... ... 76/6

Quick Release model ... ... 97/11
Coloured Flanges, Red, Blue, Green, or
Gold (32/40 only) extra per pair ... 3/7

### AIRLITE SMALL FLANGE.

All types and drillings ... ... 48/-Quick Release (as illustrated) 69/-AIRLITE TANDEM



SMALL FLANGE all types ... 58/9 SOLITE. Small flange only, all steel, solid barrel ... ... 26/6






SOLITE TANDEM. Available in all types of threadings ... 31/6 RACELITE. All alloy Large Flange Racing Hubs, all types 35/11 HUB BRAKES. Super Tandem complete with steel brake levers and cable-cum-rod controls. Gear sided only with 4" internal expanding drum brakes, efficient in all weathers ... ... 113/9 Super Special Tandem as above but with larger 4\frac{1}{2}" brake drums 125/-

### BAYLISS WILEY

First class small flange hubs for racing purposes. Hiduminium flanges set on chrome plated steel barrels machined from the solid, combine lightness and strength in a finely finished hub.

No. 23 front ... ... 16/2 No. 25 rear (G/F only) ... 21/6 Popular all steel small flange hub for general use. No. 51 front ... 6/- No. 10 rear (D/Fixed) ... 11/2

No. 310 rear (G/Fixed) ... ... ... 9/-



"CONTINENTAL". Large flange popular priced (as illustrated).


Front (No. 19) ... ... 30/3

Rear (No. 20—double fixed) ... 35/
Rear (No. 21—gear and fixed) ... 35/
Rear (No. 22—single gear) ... 35/-

A comprehensive range of spares for all hubs listed; Campagnolo, F.B., Chater, B.H. Co. & B.W., are stocked. LAMP BRACKETS

CONSTRICTOR CONLOY with		proof	scre	w in
polished alloy		73		4/-
CHATER-LEA steel, right or left	hand	chrom	е	$2/9\frac{1}{2}$
Steel, cadmium plated	114114,	om om	7:00	1/9
N.B.—Above are for brazed-on bosse	s			-1-
and are complete with securing bolts.				
PETERS (Illustrated). A very nea				
spring steel clip-on bracket clamped	d 🔊			9)
with bolt to the handlebar 2/3	3			//
TERRY. Handlebar lamp bracke	t I	9		
Wing-nut fitting. Chrome 2/0	6			į.
TJQ. Chrome plated heavy wire	e We			
H/bar bracket w/clamping bolt 2/6	6			
TERRY. Basket pattern. Clips over		A SAME		
handlebar, lamp hanging below.	Silver			1/6
LUCIFER			****	
	Two y			
	Superi			
	and f	The Property of the Party of the		A 0.7 H
	amp.			
	and re	100	0.42	1.21
	as we		STORE SHOW AND SERVICE	
	equals			
	includ			
N= 907 (== :11=+=+=1) (60 1:22	800 "1			
No. 807 (as illustrated) "Combi"				
No. 820A "Aero". Neat separate	headla	amp		
No. 816A "Lux". Long beam hea	idlamp	0.73%;	5.55	55/-
No. 814A "Aero-Bi". With two	bulbs	283	\$ 200	59/6
No. 819A "Bi-Lux"	C	5(30E)	* * *	59/6
No. 809A "Battery". Standby bat	ttery	• • •		59/6
No. 822A "Focus"	C+++	20042 occo		62/6
PULLEY RUBBERS. "Luci-Grip		ves ty	res	9d.
LUBRICATO	RS		1972 18	1 62
Tecalemit nipples, 13" diameter		1 11		. cach
Oil-gun for Tecalemit nipples—"Visigun' DERMIC OILER. Ideal for the lubric	ation of	Contin	5/3 ental	hubs
gears and freewheels that have tiny oil	inlets.	Operat		hypo-
dermic	• •••	***	***	5/6
Parthalamania III (haad a O.d.			320 ES	Maria
Bartholomew's ½" (based on Ordnance) of Dissected		(0.000) (0.000)	4.3 - 2.5 - 2.5	each
のでは、これのでは、これでは、 「は、 「は、 」 」 「は、 」 」 「は、 」 「は、 」 「は、 」 」 「は、 」 「は、 」 「は、 」 「は、 」 「は、 」 「は、 」 」 「は、 」 」 「は、 」 「は、 」 」 「は、 」 「は		10.00	4.34	

### PEDALS



CAMPAGNOLO. Used by all the top Continental Road-men and leading Trade teams, and now firmly established as the finest pedal ever produced, and a worthy addition to the famous Campagnolo range of accessories. The highly polished alloy barrel of forged single unit construction, houses races which, following modern engineering practice, utilize a special hard chrome finish for exceptional bearing life. The spindle is of Nickel Chrome,


ground and polished between centres, the bearing radius and cone being finished in the same hard chrome as the barrel races. A friction-free oilseal concealed between the barrel and spindle combines with the perfectly fitted dust-cap to effectively prevent any dust penetrating. The frame of best quality steel, exceptionally heavily chromed, further demonstrates the careful planning behind all Campagnolo products. Two special clips retain the toe-strap in the correct position for use and assisted by a small projection on the back plate, enable the clip to be "picked up" smoothly. Special provision is made for the correct positioning of the toe clip by two neat chrome-plated studs set in the front plate. ... 72/- per pair

TRACK MODELS. Have barrel as Road pattern but are fitted with side plates three inches wide, which having no extended Quill do not protrude beyond spindle length. Available with or without serrated frame edges. Either pattern ... 72/- per pair

### CHATER-LEA


"Sprint". In stainless steel Single-sided for maximum ground clearance. Smooth-edged to accommodate shoe plates, \(\frac{5}{32}\)" balls \(\ldots\) \(\ldots\) \(\ldots\) \(\ldots\) \(\ldots\) \(\ldots\)

Standard. Double-sided stainless steel, spindles and cones precision ground ... 32/-



### CONSTRICTOR

Boa. Quill pattern made	through	out of	best	quality	steel.	Chr	omed.
Adjustable width 33" to	4"	(#)##C	555	(8.55)	355	***	20 /6
Viper double sided	255	20000	555	.555	222	17,7(5):	21/6
Asp. Platform type		(5)5(5)	2002	((7.7)7)	2.02	(5.5.5)	22/6
Cobra. Quill pattern	2.2.2	12.5.51	55.5		5.57	***	21/6
CRIPCE I DEDVICE	*****			**			



## PEDALS (continued) LYOTARD

Ever increasing in popularity we have found it necessary to increase the range of these French pedals for 1960. Following reductions in price without, we stress, any sacrifice of their high quality, they are unsurpassed for value within this price-range. Among those

listed below are types suitable for racing, touring and

every-day cycling.

All spares are stocked and listed below.

No. 23. Marcel Berthet. As illustrated. Platform type, it will fit any cycle shoe, and is firmly established as the choice of British roadmen. Weight only 11 ozs. 15/9 Faucheux Road. Solid barrel with a single-sided, openended frame with serrated edges. Width  $3\frac{1}{2}$ ". 13 ozs. 14/-No. 15S. Similar shaped frame mounted on a longer spindle. Very popular. 33" wide. Weight 14 ozs. 13/3 No. 15 Bis. Tour de France. Double-sided serrated frame on solid barrel. Width  $3\frac{1}{2}$ ". Weight 15 ozs. 13/3 No. 45. A quill pattern pedal in steel throughout with shorter solid centre barrel. Width  $3\frac{1}{2}$ ". 13 ozs. 14/-No. 45 CA. Similar to above but with alloy frame on the steel barrel. Only 11 ozs. No. 460A. Double-sided frame on a simple tubular barrel for general use.  $3\frac{1}{2}$  wide. Weight  $13\frac{1}{2}$  ozs. 9/-No. 462. As above but single-sided frame. 12½ ozs. 8/11 Lyotard Spares. Cones ... 2d. ea. Dust caps ... 6d. ca. Spindles complete. Two lengths  $3\frac{1}{4}$ " and  $4\frac{1}{2}$ " ... 1/9 ca.

### PHILLIPS

Credalux	steel chrome quill pattern	2012		16/3
Apollo.	Double-sided steel	***	25.53	8/9
WEBB.	The well-known quill pattern	n pedal		16/6

### **PUMPS**

APEX Grand Prix. 18" polished alloy, with inserted brass connector block. Very sturdy, Racing man's pump.
Red, White and Blue rings. Large diam 9/-
"Ultralite Racing". As above but $\frac{7}{8}$ " diam 6/6
"Tour of Britain". 1" diam. Alloy Pump with coloured
"Air-Weight" polished alloy 15" 5/9 18" 7/-
"Lightweight" White or Black 15" 5/11 18" 6/11
ZEFAL. The Continental Alloy Pump.
Polished 18" 8/9 Coloured 18" 10/6
PUMP CONNECTIONS
BLUEMELS. No. 9 Standard 1/- ea. 9a H.P. 1/- ea.
P.9. Fits ordinary or H.P. valves 1/4 ea.
ZEFAL. Continental for H.P. valves 1/6 ea.
CAMPAGNOLO. (As illustrated). Heavily
chromed, push-on adapter with locking grub screw and rubber cushioned feet to
in the curve of the tube when used
fit the curve of the tube when used without a pump-peg. English or metric
without a pump-peg. English or metric thread 8/10
without a pump-peg. English or metric
without a pump-peg. English or metric thread 8/10
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/-
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/-  Pump holder for seat or top tube 6/-
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8 Combined with double gear lever 26/8
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8  Combined with double gear lever 26/8  Any of the above pump holders can be used with the
without a pump-peg. English or metric thread
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8 Combined with double gear lever 26/8  Any of the above pump holders can be used with the screw-on adapter (as above) or the combined holder and gear wire channel stop for Seat-tube or Down-tube pump position. (State which type) 6/8
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8 Combined with double gear lever 26/8  Any of the above pump holders can be used with the screw-on adapter (as above) or the combined holder and gear wire channel stop for Seat-tube or Down-tube pump position. (State which type) 6/8  MINIMA. Latest French screw-on clips of attractive
without a pump-peg. English or metric thread 8/10  A.F.A. alloy, push-on adapter 1/9  PUMP CLIPS  CAMPAGNOLO "Portapompa". Usual finish associated with this name.  Single Pump Peg for seat or top tube 3/- Pump holder for seat or top tube 6/- Combined with single gear lever 14/8 Combined with double gear lever 26/8  Any of the above pump holders can be used with the screw-on adapter (as above) or the combined holder and gear wire channel stop for Seat-tube or Down-tube pump position. (State which type) 6/8

### RIMS—SPRINT

FIAMME. The rim fitted with the "Longhi" patent design (as shown) will lace up into a really tight wheel. The spoke pull is equally carried by both faces of the rim, giving a rigidity which will hold the wheel true when under the stresses of racing. Used by the majority of Professional Roadmen, who compete over poor road surfaces. In two weights, for ROAD (14 ozs.) or TRACK (12 ozs.) drilled 32/40, 36/36 or (Track only) 28/28 holes. 27" only ... 49/11 pair



MAVIC. The famous French rim of similar design	* * *	65/- pair
WEINMANN alloy. 13 oz. 27" only	1975	57/6
or Wood-lined as Continental practice. 11 ozs.		57/6 ,,
CONSTRICTOR. Conloy. Weight 121 ozs., 27"		54/- ,,

### RIMS—WIRED-ON

FIAMME. Famous Italian Alloy Rim. 18 ozs. Special design giving extra strength. 27" only. A well-finished and dependable rim. Now with unpolished surface for wet weather braking ... 39/6 pair



WEINMANN ALESA. First-class Swiss 27" H.P. rim with dimpled spoke holes. Weight 19 ozs.

26" non-dimpled only 40/- pr. ENDRICK 26" or 27" by 1\frac{1}{2}" only ... 45/- pr.

CONSTRICTOR. Made from Conloy material; claimed to be the strongest alloy.

ASP. "The Best", 26" or 27", weight 17 ozs. ... 66/6 pair COBRA. The lightest. 26" or 27". Weight 16 ozs. ... 61/- ... 61/- ... 46/- ...

### RIM TAPES

Rubber rim tapes for H.P. rims ... 1/6 each CONSTRICTOR. Round section to fit into deep-welled rims 2/- ,,

### SPRINT WHEEL CARRIERS

CLIFF PETERS. Extremely tough alloy, with open-ended slot for front spindle and side opening slot for carried wheels. Very light, suited for use with Q/R hubs. Polished or coloured ... 4/11 pair "CYCLO'S" "Rosa" in steel ... ... ... 4/9 ...

### SADDLES and SEAT PINS



### CAMPAGNOLO-BROOKS

For the 1960 season these two famous names have worked in co-operation and produced a standard of combined saddle comfort and practicability never before offered to the racing cyclist.

Campagnolo's seat pin is now universally acclaimed for strength, rigidity and meticulous adjustment. Now, in addition to the standard model, he is offering one with a narrow cradle

to accommodate a specially designed saddle by Brooks, which has a top of the Continental "Competition" shape, without bag loops, mounted on a new narrow-wired frame. This ensemble "par excellence" besides being lighter than the standard model, allows exactly twice the amount of lateral adjustment.

SEAT PIN in sizes 3, 4 and 5. Highly polished alloy ... 39/6 SADDLE. "Campag" Competition. Straight wire pattern. 1 lb. 3 oz.

CAMPAGNOLO Standard Seat Pin with cradle to take the normal shaped two-wire saddle. Also available in sizes 3, 4 and 5 39/6 N.B.—Ensure that pin is correct size required as the shaft is highly polished alloy—easily scratched and rendered unsuitable for resale.

BROOKS. The leading saddle makers in the world.

SWALLOW (illustrated). The cut-away saddle that gains in popularity each year. Designed to eliminate chafing on long distance rides.

B.17 Chromed ... 67/6 B.15 Chromed ... 35/-L.15 Chromed ... 25/-



**B.17 SERIES.** Narrow 11" x 6" x  $3\frac{1}{2}$ " 1 lb. 10 ozs., Sprinter 11" x  $4\frac{1}{3}$ " x  $2\frac{1}{2}$ " 1 lb. 7 ozs. Standard 11" x  $6\frac{1}{4}$ " x  $3\frac{1}{3}$ " 1 lb. 12 ozs. Flyer 11" x 5" x 3" 1 lb. 8 ozs. Any of this series. Black frame (ex sprint) ... 45/-Chromed ... 47/6 **B.17** Competition 11" x  $6\frac{1}{4}$ " x  $3\frac{1}{8}$ " 1 lb. 7 ozs. No bag loops. Chr. 48/6 B.15 SERIES. Narrow, Standard, Flyer (sizes as B.17 above). All in Black ... 32/6 Chromed Similar to B15 Std. En 16/- Swallow Chr. BRISTOL. CL3. 18/9 B66 Champion. Wide back, coil springs 38/-MANSFIELD. No. 42 Sprint  $11\frac{1}{2}$ " x  $4\frac{1}{2}$ ". Black 26/-Bath Road. Cut-away. Chrome 30/-. Ace. Cut-away laced under 25/-WRIGHTS 56L. Leather cut-away top supported by coil springs 26/9 BROOKS PROOFIDE. For allweather saddle protection 1/101 tin

### **SPANNERS**

CAMPAGNOLO. Cotterless Extractor Tool	
Cotterless bottom bracket axle spanner 1/6 Allen "L" key with grip	2/3
Allen "T" key with box spanner 2/6 Allen "L" ke	y 2/-
Pedal dust cap and lock nut spanner 4/4 Roller cone spa	
MAFAC. Complete toos set in neat container only 31" x 2	
spanners, screwdriver, nipple-key and puncture outfit. Fit	s all Con-
tinental bolts on Brakes, Gears, etc. Metal tin 10/6. Plastic po	uch 12/11
Box spanner available separately, for fitting Brake lever	9d.
INOX. Continental Bronze 8-way box	3/-
TERRY Pedal Spanner—the right tool	
CYCLO spanners-Std. Cyclo 1/3 Mark 12	
BROOKS Saddle Spanner 2/6 Six-way	1/3
Also Head and B.B 1/3 Peg and Cone	1/-
SPOKE KEYS. Brooks disc 1/- Cyclo one-way	16/6 T/ CO
AIRLITE hub cone spanners	pair 2/-

### TOE STRAPS

The 'ALLEZ' CORSA. With slit to tuck the end of the strap in, giving perfect "stop". Quick release buckle. Leather specially selected to avoid stretch 4/9 pair Coloured Red or Blue 5/3,




### TOE CLIPS

G.B. "Type Professional" (As illustrated). Stainless steel, long or short ... 6/6 CHRISTOPHE, in three lengths. Most famous of French clips ... 6/6 LAPIZE. French Medium size only 5/9 pr. CONSTRICTOR. New rolled bronze spring clip. Gold non-rust finish. One size only 7/9 pr. CONSTRICTOR steel or Boa pattern ... 5/3 BROOKS No. 1. Best Steel, chrome plated three lengths ... 5/9 ASHBY "Wanderlust" 4/9 "Monique" 4/9




# TUBULARS Registered Trade Mark

This year, as in many seasons past, we again confidently expect the majority of successes to be gained by riders using D'Alessandro tubulars. These tyres, ridden throughout the years by World and National Champions alike retain their steadfast popularity, by performance, reliability and long service. Favourite among




Continental Aces, and designed to meet their many exacting demands, these tubulars are the first choice of all discerning British Riders.



with distinctive orange coloured multiribbed tread (illustrated) which can be used with confidence on either wet or dry surfaces. Although only 8½ oz. in weight its toughness was early demonstrated during International Competition last year. Recommended for fast "50s"

GIRO D'ITALIA. A fine road tyre for hard wear. Not quite so "pricey" as the Imperforabile it will never-the-less give many miles of speedy racing. Narrow black file pattern tread with latex sides. Weight 10½ ozs. ... ... ... ... ... ... 57/6


PRIMO. A hand-made tyre with a light fabric carrying the narrow hard-wearing matt tread. Fitted with an extremely light "dimpled" inner tube and cotton base tape, this tyre weighing only 8 ozs. is eminently suitable for pursuits and fast short distance road events ... 57/6 Or with SILK Fabric ... 75/-



IMPERIAL. A reliable road tyre for all-round work. Narrow black tread with non-slip design. Latex sides. Weight 13 ozs. ... 43/6


SPORT (as illustrated).

An entirely new tyre designed to meet the needs of present day road racing, when cost has to be taken into consideration. This tubular has a very fast centre band of narrow ribs, flanked by sure-grip file pattern tread edged by further twin non-slip ribs.



...

...



### VULCAN (as illustrated).

...

An ideal every-day tyre with ever popular Italian style file pattern tread on open sided pocket. Not a "hose-pipe" but a lively tubular with light inner tube not normally expected at this price. The many good reports received when this 14 oz. tyre was introduced last year stress the very good value at 29/11

### A FEW NOTES ON TUBULAR CARE

When folding ensure that the tread is on the outside of all bends. Keep tyres tightly stuck on rims—a tyre that "rolls" to one side will be cut through wall by edge of rim. Keep base tapes in good order—if rim spoke holes are allowed to chafe through, the main stitching will be damaged and blow-outs follow. Fill all cuts in tread with stopping compound—water penetrating these will rot tube pocket, causing twisting, uneven wear and blow-outs. Do not over-tighten connector on valve when inflating—this tends to loosen valve securing nuts and a slow leaking will follow. Tubular walls chafe easily—protect them when carried as spares, on wheels or folded under saddle. Do not leave wet tyres in a deflated condition—pockets will deteriorate.

### CLEMENT TUBULARS

A selection of the more popular tyres from this Italian Manufacturer.

Super 10. Track and short distance. Smooth ban	d 7½ oz.	74/6
"50". Fast road tyre. Lateral rib tread	11 oz.	54/-
Elvezia. Road and circuit. Ribbed tread .	14 oz.	35/11
Enwell. General use. New black rib tread .	15 oz.	30/11

### PIRELLI TUBULARS

Leg	geris	simo. Light road tyre. Pu	incture	resista	int	8 oz.	75/-
Leg	gero.	Road tyre. Rib and file	tread	***	•••	9 oz.	72/6
Gra	n Pr	emio. General use. File t	read		•••	14½ oz.	42/6
		DUNLOP TU	JBUL	ARS			
No.	0.	For Sprinting	•••	111		6 oz.	65/6
No.	1.	Very fine file tread	***		***	8½ oz.	69/-
No.	2.	Fast short distance tyre	0.00	100		9½ oz.	69/-
No.	3.	Good road tyre	•••	•••	•••	10 oz.	69/-
No.	5.	Massed-start tyre	355550 355550		***	121 oz.	69/-
No.	8.	For rough circuits	***			12½ oz.	52/6
No.	9.	Training tubular		202		15 oz.	41/6
No.	10.	Winter tubular	****			17½ oz.	41/6
SIL	KS.	No. O 99/6	Nos.	2 and	5	***	104/6

### TUBULAR CARRIER

"FULMINE" Italian Quick-Release Carrier with strong elastic cords. Fitted under the saddle. When making rapid change remains attached to the saddle. No fiddling with loose straps 7/6

### TUBULAR SUNDRIES

"D'Alessandro" 25 yards linen thread and needle	1/3 card
"Dunlop" Sprint repair outfit. Contains all necessities	6/- tin
"Constrictor" repair outfit for puncture repairs	3/- tin
"Dunlop" Patches for tubular inner tubes	6d. pkt.
"Stopping Compound" for filling cuts in tread	4d. tube
"Proofing Solution" Preservative dressing for side walls	3/6 tin
"Montex" Latex dressing for side walls	2/6 jar
"Dunlop Rim Cement" for sticking tubular to rim	3/6 tin
"Dunlop Tacky Tape" double sided for sticking tub.	
to rim	2/11 roll
"Jantex" Continental tacky tape for sticking tub. to rim	2/2 roll



### TYRE SAVERS

CARLTON. The Carlton Tyresaver is an ingenious device which removes nails, glass, or flints. As the wheel turns, the nail or flint comes into contact with the Tyresaver and is pulled out within a few seconds of its entry into the tyre, before it is able to penetrate to the tube.

"CC" Lightweight anti-splash guard 2/- each "C" Racing (illustrated) ... 1/6 ...

"CL" Ultra-light Racing (single arm) 1/6 ...
"M" or "R" for use with guards ... 2/- ...

### INDEX

Allen Keys		23/36	Leggings	NO. 600	2
Ankle Socks	***		Maps	***	30
Arm Warmers	***		Massage Cream		21
Bags-Touring and Pa		4.4	Mass Start Caps		1
Carriers and S	annier	16			2
Dath Calte		21	Racing		200
	***				1000
Bells	***			***	
Bends	*** /***		THE RESERVE THE PROPERTY OF THE PARTY OF THE	444	15
Bereis	0000		Oilers	625 G 100	30
Bottles-Feeding	***	16	Pannier Bags and	Carriers	15/16
" " Carri	iers	17	" Qui	ck Release	16
Bracket Fittings		17	Pantalons de Pari	S	5
Brakes and Sundries		/18/19	Dadate	***	31/32
					36
	•••	11/10	Plastic Repair Ou	10000	2
Cardigans	***	1.0			22
Carriers-Bag	444	20 ET 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		***	33
Bottle	1000		Connection		
Tubulars	250		Puncture Prevente	rs ···	39
Chains	***			***	1
Adjusters	***		" Jerseys an	d Vests	6
Chainwheel Sets	****	WAR LONG	, Shorts	H+10 F080	6
Chain Rings and Bolt		/20/21	Mitts	***	14
Cogs		00 107	Rims-Sprint and		34
Connections		22	Cement		20
Cathan Nan	***	21	## ULCGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG		24
	***		Tapes	***	21
Cranks	***		Rivet Extractors	Department Table 19	
Crash Hats	***		Saddles and Sund		35
Derailleurs	23	/24/25	., " Spani	ners	36
Drinking Tubes	2000	16	Scat Pins	1999 X 100	35
Dynamo Sets		30	Shorts		6/7
Embrocation, etc		21	Shoes	***	9/10/11
Entry Forms		21	Plates and		11
Extensions (Handleba		26	Shoulder Bags (Sa	Charles to delicate a service of	15
Planting Davidge		16	Sou'westers	AND THE PERSON NAMED IN COLUMN	-
Time Catalana	•••	20		115	7015
Flint Catchers	***	00	Spats	***	Committee of the Commit
Freewheels and Sundr	ies		Spanners	***	19/23/36
Front Changers	3000		Sprint Wheel Car	ners	34
Gauntlets	0.000 0.000	3	Sprockets	22.	20/27
Gears and Sundries	23	/24/25	Stems	2.0	26
Gloves		3/4	Stockings	444	8
Racing	1000	14	Sun Specs	(444) AXA	14
Handlebar Bends		25	Sweaters	227/ 227/ 227/ 247/	11/12
Stome or I		26	Tape-Handlebar	(146) - 178) -	26
Tone		26	Double Sie	led Sticky	20
" lape " End Plugs		26	Rim	•	24
	1000			tions.	
Handi-bags	15276 557		Toe Straps and C	nps	36
Head Fittings	*** ***		Touring Bags	***	15
Honking Rubbers			Track Mitts	***	14
Hose	***		Nots	5240 3466	27
Hubs	10000 100	28/29	Shorts	****	6
Cogs		27	Suits		13
Capre		25	Vests		6
	- Master	27	Training Suits		10/12
Lackate		A		360	
Jackets	200		Trousers	533	22
Jeans	•••	5	Transfers	***	
Jerseys	6	5/11/12	Tubulars	***	37/38/39
Kleenfeet			Tyre Savers	200	39
Lamps-Lucifer	***		Wing Nuts	Lecon Lens	23
Lcg Warmers		12	Woollen Racing I		12
HERETAGE NAMES ESTA	100 Miles			-11.40.00 Yes	1917

	36	38	40	42	44	45	46	47	48	49	50	51	52	54
12	81-0	85-5	90.0	94-5	99-0	101-2	103-5	105-8	108-0	110-3	112.5	114-7	117-0	121-5
13	74-7	78-9	83-1	87-2	91-4	93-4	95.5	97-6	99-7	101-8	103-8	105.9	108-0	112-1
14	69-4	73-3	77-1	81-0	84-8	86-7	88-7	90-6	92.6	94.5	96-4	98-3	100-3	104-1
15	64-8	68-4	72-0	75.6	79-2	80.9	82-8	84-6	86-4	88 2	90-0	91-8	93-6	97 -
16	60-8	64-1	67-5	70.9	74-2	76-0	77-6	79-3	81-0	82-7	84-4	86-1	87-7	91.
17	57-2	60-3	63.5	66.7	69-9	71-5	73-0	74-6	76-2	77-8	79-4	81-0	82-6	85-7
18	54-0	57-0	60.0	63-0	66-0	67.5	69.0	70-5	72.0	73-5	75-0	76-5	78-0	81 (
19	51-2	54-0	56-8	59-7	62.5	64-0	65-4	66.8	68-2	69-6	71-0	72-5	73.9	76
20	48-6	51-3	54.0	56-7	59-4	60-8	62-1	63-4	64-8	66-1	67.5	68-8	70-2	72.5
21	46-3	48.9	51-4	54-0	56-6	57-9	59-1	60-4	61-7	63-0	64-3	65.5	66-8	69-
22	44-2	46-6	49-1	51-5	54.0	55-2	56-4	57-7	58-9	60-1	61-4	62-6	63-8	66
23	42:3	44-6	47.0	49-3	51-6	52-8	54.0	55-2	56-3	57.5	58.7	59.9	61-0	63.
24	40.5	42.7	45.0	47-2	49.5	50-7	51.7	52-9	54-0	55-1	56-2	57-3	58-5	60-
25	38.9	41.1	43-2	45-4	47.5	48-6	49.7	50-8	51.8	52-9	54-0	55.1	56-2	58-
	77.	20.5	MA P	42.7	45.7						-		1	
26	37-4	39-5	41.5			TABL			20 m Siem == 1	(C-21)	51-9	53.7	54-0	56-1
26	36	39.5	40	.0091672	CANDIDA DE		18 BY	OM CONTRACTOR	LOS MANAGES	Case W.	51.9	53.7	54-0	56
12				GE	AR T	TABL	E 26	5" W	HEE	LS			52	54
	36	38	40	GE 42	AR -	TABL 45	E 26	5" W	HEE 48	49 106·2	50 108-3	51 110·5	52	54
12	36 78-0	38 82-3	40 86 6	<b>GE</b> 42 91-0	AR 44 95.3	45 97-5	.E 26	47 101-8	48 104-0	49 106·2	50 108-3	51 110·5	52 112-7	54 117-0
12 13	36 78·0 72·0	38 82·3 76·0	40 86 6 80 0	<b>GE</b> 42 91-0 84-0	AR 44 95.3 88.0	45 97-5 90-0	46 99·7 92·0	47 101-8 94-0	48 104-0 96-0	49 106-2 98-0	50 108-3 100-0	51 110-5 102-0	52 112-7 104-0	54
12 13 14	36 78·0 72·0 66·8	38 82·3 76·0 70·5	40 86 6 80 0 74 2	<b>GE</b> 42 91-0 84-0 78-0	44 95-3 88-0 91-7	45 97-5 90-0 83-5	46 99-7 92-0 85-4	47 101-8 94-0 87-3	48 104-0 96-0 89-1	49 106·2 98·0 91·0	50 108-3 100-0 92-8	51 110-5 102-0 94-7	52 112-7 104-0 96-6	54 117-( 108-(
12 13 14	36 78·0 72·0 66·8 62·4	38 82·3 76·0 70·5 65·9	40 86 6 80 0 74 2 69 3	42 91-0 84-0 78-0 72-8	44 95·3 88·0 81·7 76·3	45 97-5 90-0 83-5 78-0	46 99-7 92-0 85-4 79-7	47 101-8 94-0 87-3 81-5	48 104-0 96-0 89-1 83-2	49 106·2 98·0 91·0 84·9	50 108·3 100·0 92·8 86·6	51 110-5 102-0 94-7 88-4	52 112-7 104-0 96-6 90-1	54 117-0 108-0 100-1
12 13 14 15	36 78·0 72·0 66·8 62·4 58·5	38 82·3 76·0 70·5 65·9 61·7	40 86 6 80 0 74 2 69 3 65 0	42 91-0 84-0 78-0 72-8 68-3	44 95·3 88·0 81·7 76·3 71·5	45 97-5 90-0 83-5 78-0 73-1	46 99-7 92-0 85-4 79-7 74-7	47 101-8 94-0 87-3 81-5 76-4	48 104-0 96-0 89-1 83-2 78-0	49 106·2 98·0 91·0 84·9 79·6	50 108-3 100-0 92-8 86-6 81-2	51 110-5 102-0 94-7 88-4 82-9	52 112-7 104-0 96-6 90-1 84-5	54 117-0 108-0 100-1 93-0
12 13 14 15 16	36 78·0 72·0 66·8 62·4 58·5 55·0	38 82·3 76·0 70·5 65·9 61·7 58·1	40 86.6 80.0 74.2 69.3 65.0 61.2	42 91-0 84-0 78-0 72-8 68-3 64-2	44 95·3 88·0 81·7 76·3 71·5	45 97-5 90-0 83-5 78-0 73-1 68-8	46 99-7 92-0 85-4 79-7 74-7 70-3	47 101-8 94-0 87-3 81-5 76-4 71-9	48 104-0 96-0 89-1 83-2 78-0	49 106·2 98·0 91·0 84·9 79·6 74·9	50 108·3 100·0 92·8 86·6 81·2 76·4	51 110-5 102-0 94-7 88-4 82-9 78-0	52 112-7 104-0 96-6 90-1 84-5 79-5	54 117-0 108-0 100- 93-0 87-0 82-0 78-0
12 13 14 15 16 17	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7	44 95·3 88·0 81·7 76·3 71·5 67·3 63·5	45 97-5 90-0 83-5 78-0 73-1 68-8 65-0	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3	49 106·2 98·0 91·0 84·9 79·6 74·9	50 108:3 100:0 92:8 86:6 81:2 76:4 72:2	51 110-5 102-0 94-7 88-4 82-9 78-0	52 112-7 104-0 96-6 90-1 84-5 79-5	54 117-0 108-0 100-1 93-0 87-0 82-0
12 13 14 15 16 17 18 19 20 21	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0 49·2 46·8 44·5	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9 52·0 49·4 47·0	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7 57-5	44 95·3 88·0 91·7 76·3 71·5 67·3 63·5 60·2	7ABL 45 97-5 90-0 83-5 78-0 73-1 68-8 65-0 61-7	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4 62·9	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9 64-3	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3 65-7	49 106·2 98·0 91·0 84·9 79·6 74·9 70·8	50 108-3 100-0 92-8 86-6 81-2 76-4 72-2 63-4	51 110-5 102-0 94-7 88-4 82-9 78-0 73-6 69-8	52 112-7 104-0 96-6 90-1 84-5 79-5 75-1 71-2	54 117-0 109-0 100-1 87-1 82-0 78-0 73-5
12 13 14 15 16 17 18 19 20 21	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0 49·2 46·8	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9 52·0 49·4	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7 54-7	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7 57-5	44 95·3 88·0 81·7 76·3 71·5 67·3 63·5 60·2 57·2	7ABL 45 97-5 90-0 83-5 78-0 73-1 68-8 65-0 61-7 58-5	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4 62·9 59·8	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9 64-3 61-1	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3 65-7	49 106-2 98-0 91-0 84-9 79-6 74-9 70-8 67-0 63-7	50 108-3 100-0 92-8 86-6 81-2 76-4 72-2 63-4 65-0	51 110-5 102-0 94-7 88-4 82-9 78-0 73-6 69-8 66-3	52 112-7 104-0 96-6 90-1 84-5 79-5 75-1 71-2 67-6	54 117-0 109-0 100-1 87-1 82-0 78-0 70-1 66-1
12 13 14 15 16 17 18 19 20 21	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0 49·2 46·8 44·5	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9 52·0 49·4 47·0	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7 54-7 52-0 49-5	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7 57-5 54-6 52-0	44 95·3 88·0 81·7 76·3 71·5 67·3 63·5 60·2 57·2 54·5	7ABL 45 97-5 90-0 83-5 78-0 73-1 68-8 65-0 61-7 58-5 55-8	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4 62·9 59·8	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9 64-3 61-1 58-2	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3 65-7 62-4 59-4	49 106-2 98-0 91-0 84-9 79-6 74-9 70-8 67-0 63-7	50 108-3 100-0 92-8 86-6 81-2 76-4 72-2 63-4 65-0 61-9	51 110-5 102-0 94-7 88-4 82-9 78-0 73-6 69-8 66-3 63-1	52 112-7 104-0 96-6 90-1 84-5 79-5 75-1 71-2 67-6 64-4	54 117-1 108-1 100-1 93-1 87-1 82-1 78-1 70-1 66-1 63-1
12 13 14 15 16 17 18 19 20 21 22 23	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0 49·2 46·8 44·5 42·5	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9 52·0 49·4 47·0 44·9	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7 54-7 52-0 49-5 47-2	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7 57-5 54-6 52-0 49-6	44 95·3 88·0 81·7 76·3 71·5 67·3 63·5 60·2 57·2 54·5	45 97-5 90-0 83-5 78-0 73-1 68-8 65-0 61-7 58-5 55-8	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4 62·9 59·8 57·0 54·4	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9 64-3 61-1 58-2	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3 65-7 62-4 59-4	49 106-2 98-0 91-0 84-9 79-6 74-9 70-8 67-0 63-7 60-7	50 108-3 100-0 92-8 86-6 81-2 76-4 72-2 63-4 65-0 61-9 59-1	51 110-5 102-0 94-7 88-4 82-9 78-0 73-6 69-8 66-3 63-1 60-2	52 112-7 104-0 96-6 90-1 84-5 79-5 75-1 71-2 67-6 64-4 61-4	54 117-0 109-0 100-1 87-1 82-0 78-0 70-1
12 13 14 15 16 17 18 19	36 78·0 72·0 66·8 62·4 58·5 55·0 52·0 49·2 46·8 44·5 42·5 40·6	38 82·3 76·0 70·5 65·9 61·7 58·1 54·9 52·0 49·4 47·0 44·9	40 86-6 80-0 74-2 69-3 65-0 61-2 57-7 54-7 52-0 49-5 47-2 45-2	42 91-0 84-0 78-0 72-8 68-3 64-2 60-7 57-5 54-6 52-0 49-6 47-5	44 95·3 88·0 81·7 76·3 71·5 67·3 63·5 60·2 57·2 54·5 52·0 49·7	45 97-5 90-0 83-5 78-0 73-1 68-8 65-0 61-7 58-5 55-8 53-1	46 99·7 92·0 85·4 79·7 74·7 70·3 66·4 62·9 59·8 57·0 54·4	47 101-8 94-0 87-3 81-5 76-4 71-9 67-9 64-3 61-1 58-2 55-5	48 104-0 96-0 89-1 83-2 78-0 73-4 69-3 65-7 62-4 59-4 56-7 54-3	49 106-2 98-0 91-0 84-9 79-6 74-9 70-8 67-0 63-7 60-7 57-9	50 108-3 100-0 92-8 86-6 81-2 76-4 72-2 68-4 65-0 61-9 59-1 56-5	51 110-5 102-0 94-7 88-4 82-9 78-0 73-6 69-8 66-3 63-1 60-2 57-6	52 112-7 104-0 96-6 90-1 84-5 79-5 75-1 71-2 67-6 64-4 61-4 58-8	54 117- 108- 100- 93- 87- 82- 78- 70- 66- 61-

# SERVICE HOLDSWORTHY

ensures that YOUR LOCAL AGENT can obtain

all of the lines listed

\_ post-haste!

CATALOGUES OF

W. F. HOLDSWORTH

AND

CYCLES and FRAMES F. H. GRUBB

