# AIDS to

# HAPPY CYCLING





Illustration by kind permission of The Cyclista Touring Club

W. F. (SANDY) HOLDSWORTH



# HOLDSWORTH'S POSTAL SERVICE

HAS BEEN ORGANISED OVER THE PAST 30 YEARS. YOU CAN RELY ON



When ordering goods, please include postage according to weight and size of goods: 8 oz., 5d., 1 lb. 9d., 2 lb., 1/-, increase by 2d. a lb., up to 7 lb. Maximum weight 15 lb., 2/1.

Frames for renovation or repair should be sent carriage paid.

### W. F. (Sandy) HOLDSWORTH

Send to or call and see us at

138/140 Beckenham Rd., | 132 Lower Richmond Rd., BECKENHAM, KENT

Manager:

LOU SMITH

'Phone: SYD 7714

PUTNEY, S.W.15

Manager:

ROY THAME

'Phone: PUT 1060

#### AIDS TO HAPPY CYCLING

#### 31st Edition

A concise guide to the latest and best equipment for 1955.

This list is presented in its convenient size in order that

you may have it handy for reference at all times.

Holdsworth's unique connections on the Continent and his knowledge of the British market combine to produce what is, without doubt, the most comprehensive and reliable list of Cycle Clothing and Equipment.

We regret we must state that owing to present conditions, prices are liable to alteration without notice. All prices include Tax in the few

cases where payable.

#### CLOTHING

#### ANKLE SOCKS

(Elastic Tops-Nylon Spliced)

RICHELIEU. The latest fancy-knit heavy cotton sock. Good length. In white only. All sizes ... 5/6

FAUSTO. The Continental Pursuit sock with extra

length, worn by the world's most prominent riders. Fine rib ... ... ... 3/6

RAYON MIXTURE. White ... 2/-

#### BERETS

These are genuine Cyclist's Berets. Patterned on the Basque style with close-fitting 9" crown. Leather sweat band. All Wool. In Wine, Marine, Olive, Nigger and Black. Three sizes



#### WORTHY RACING CAPS NEW "CASQUETTE"

As used all over the Continent. Elastic at back to fit head, short stitched peak. In all-white finish or white with brightly coloured centre piece. The shrunk drill and fast colours will withstand many washings and your Casquette will always look smart. Three sizes 2/11 each



#### CAPES

QUELDA. Holdsworth's Popular Plastic Cape with welded seams and spot welded thumb loops. The material is really tough and is nearly untearable. All seams are welded so that there is no stitching to cause leaking or weakness. It is fitted with zip, set diagonally with tag to prevent tearing. Zip has also cover to stop wet seeping through. Ventilated back (welded) to lay the condensation bogey. Of course, it's my specially full cut style. In Gold or Matt Black. Size 45", Hem 135". Weight 14 ozs. ... 24/-

SPECIAL "JUNIOR". Lighter plastic, welded, 39", gold only 16/11

"STORM CHEETAH". Plastic, Satin finish. Gold or Black. 45" Standard 19/6. Oversize 21/-.

#### **SOU'WESTERS**

In plastic, waterproof and light, Gold or Black. Sizes 6\(\frac{3}{4}\)" and 7" 4/9

#### QUEL-SPATS (As illustrated)

At last the ideal weather protection. Elastic under knee. Full protection right around leg. Press-stud fastening reinforced with spot-welded backing. Plastic under-strap. Gold only pair 9/11

QUELDA LEGGINGS
Sturdy leggings with gusset opening fitted press-studs which are set in welded plastic washers to prevent pulling away. Reinforced over instep. Gold only .... 19/9 pair RACING APRON (or Capette)

In light and transparent plastic the "DRY-BACK" fits over the shoulders and fastens with tapes at sides. Having no sleeves, it does not cause undue perspiration but keeps the body dry and warm. As used in Tour 7/6

#### RACING WEAR

CRASH HATS CHAMPION. As illus-EMPIRE trated. Note special frontal protection. In tan leather with cream piping and cream inside. Twin N.C.U. approved. straps. Three sizes 37/-SIX DAY pattern. Streamlined in dark tan leather. Twin straps. Twin straps. Three sizes 31/6 CASQUE FAUSTO. Genuine Italian Pursuit or Massed Start crash hat, As worn by the "Master" when mixed up in the peloton. Light leather over sponge rubber bar, cored, combining cork strength with cushioning effect. Chromed



leather to absorb perspiration. Weight 5½ ozs. It can be folded and put in your pocket when you have broken away. Rich tan and some other colours. Continental sizes 54—60 ... 29/11

#### WORTHY GLOVES

BAG MITT (thumb only) with elastic at wrist No. 9070. Tan, Black or Cream leather. Warm lining 14/3 Ditto in Natural sheepskin with fleece turned inside. Very warm. Three sizes 19/11

GAUNTLET. In guaranteed solid hide. Dark tan, separate forefinger. Warm



lined throughout, soft gauntlett which effectively prevents the cold creeping up your arm. Four sizes: Ladies', Men's, Small, Medium and Large ... 21/-

#### WORTHY RACING GLOVES

For track or road. An essential item for the enthusiast, Correctly placed strengthening patch fitted to take wear.

"ITALIA". Latest Italian design with handcrocheted cutaway backs of special pattern to give
stretch across knuckles when grasping the bend.
Sized half-fingers. Dark Tan reinforced palms with
press-button fastening. These are definitely the
"gen" articles. Sizes 6½-10½ ... 21/- pair
Cream Hide. For hardwear, half-fingers stepped
in sizes as illustrated. Ventilation holes punched
in back. Sizes 6½-10½ ... 13/11 pair
Black and White. Soft white leather with black
reinforcements on palms and black piping. Very
smart and light. Stepped fingers and perforations
on backs. Sizes 7-10 ... 11/8 pair

#### SUN SPECS AND GOGGLES

NUPROSAL SUN SPECS. Genuine Crookes Tinted Lenses set in narrow gilt frames. Ample size ... 10/6 BINDA GOGGLES. An efficient eye protector indispensable for racing and touring. Alloy frames, pneumatic rubber edges, ventilated, clear or tinted anti-dazzle celluloid lenses, elastic tapes ... ... 4/6 DE LUXE pattern. Flat, white, sponge rubber ... 5/6

#### **JACKETS**

The "EVEREST". In Maroon or Bottle Green. Cravenette proofed with check lining throughout. Ample cut

across shoulders to prevent "pull". Full length zip. Gathered elastic at hips.

Ladies and gents' 32" to 42" chests.

With two large gipped pockets (as

With two large zipped pockets (as illustrated) ... ... 49/6
With two additional capacious lower pockets and elastic brought further round front, giving "flare" effect.

54/6

All zips have tags fitted for easy manipulation.

The "COMBAT". Modelled upon the American style



Combat Jacket adapted to cyclists' wear. Proofed Gabardine with lightweight woollen tartan lining. Wide shoulders and box pleated back giving extreme latitude for all stretch across the back. Full zip front protected by buttoned overflap with storm collar and two-button cuffs. Two good pockets and strap and buckle adjustment at hips. In popular Black or Maroon. Sizes 36", 38", 40", 42". ... 55/-

The "LABRADOR" hip-length Jacket. In heavy grade Proofed Gabardine Olive Green lined throughout in fancy check material. Turnover collar and full open-end zip. Note the capacious pockets behind which are swagger pockets, for use when walking (in same style as U.S.A. Navy Jackets). Good length and ample room across shoulders. Side straps. Produced with a view to meeting all requirements. Sizes 32" to 42". ... 59/11 Lighter weight hip-length jacket in light fawn proofed Gabardine. Full-length zip. Two large, slanted zip pockets. Elastic gathers on hips to prevent riding up. 34/6



In Melton Cloth. Warm and cosy. Full zip. Two pockets with flaps. In dark blue, maroon or bottle green. Three sizes ... ... ... 29/11

WAIST LENGTH JACKETS in light fawn proofed Gabardine. Broad elastic at waist. Full zip, button cuffs. Two good pockets Unrepeatable value ... 15/6



# WORTHY PLUS FOURS YORKSHIRE TWEEDS

These tweeds are selected for their pleasing appearance and hardwearing qualities. In a variety of

Browns, Blues and Greens.

Generously cut and fitted with double seat, three pockets (side pockets are slant opening), belt loops, brace buttons and strap-over extended waistbands. They are stocked in all sizes from 30" to 38" waists ... pair 49/6 Ladies, with side zip, 24" to 32" 52/6

BESPOKE MADE-TO-MEASURE PLUSSES. First class tailor-made to your own measurements. Send for patterns, prices and self measurement form.



PANTALONS de PARIS. The latest introduction from Paris where this most practical garment has found great favour. These Continental Plus-fours are cut on closer lines and have less fall-over than the true Plus-four. As a result the garment is kept clear of the chain and does not catch the wind or wet. Under the knee a wide elasticated band takes the place of the usual strap These "Panand buckle. talons" are cut from smooth twill materials; have three pockets, adjustable elastic backs, belt loops and also brace buttons. In popular Black, Dark Brown or Blue. Gent's 30"-36" 45/-Ladies 24"-28"

#### TROUSER/PLUSSES

One of the most practical ideas for winter and business riding. Well-cut Cycling Trousers (inside double seat, tunnel belt, three pockets) which can be converted into Continental cut Plus Fours by fastener concealed in the turn-ups. In dark brown,

trouser lengths in each size.

specially selected, velvet cord. Waists 30", 32", 34", two

WORTHY SHIRTS

A Cycling Shirt in good quality cotton with small check design. Neat collar which can be worn with or without tie. Long sleeves; buttoned through. Continental cut without tail for wear outside shorts if preferred. In Wine, Olive, Dark Blue or Brown. Three sizes ... ... 23/11 Black Training or Working Shirts. Long sleeves. Close-fitting, hardwearing fabric

#### SHOE PLATES

"Allez". Specially cast alloy ... 1/6 pair Ken Russell. Rubber ... 2/- ,, Lewis. Light dural, very strong, will stand up to bending and blend into sole of shoe. Used by all leading riders.

#### WORTHY SHOES

2/3 pair

Stocked sizes 3-12 in ½ sizes (small extra charge for size 12).

ROUTIER. French Shoes are different. No shoe made on a British last can give the perfect fit and style of its French counterpart. One glance at the curved back and small stiffened toe of the "Routier" shows the discerning cyclist the comfort that is built into these shoes. Made from



specially selected soft box calf. Attractive design, sewn white with white trimmings and Continental Triangular eyelets, good sole and light heel. N.B. These are only stocked from size 5 ... 42/6



GRAN SPORT. A new style in the "Worthy" range; suitable for racing and club-riding. The Sterling black box upper is reinforced at the ball of the foot with four rows of stitching converging into the front strapping preventing "spreading" and ensuring a close fit during the entire lifetime of the shoe. The soft stiffening, at the back of the heel provides a good grip whilst the small flexible stiffening at the tip of the toe takes

any toe-clip pressure. Good sole carried right through to heel which is of "V" formation. An excellent shoe in modern All-Black finish with gilt eyelets ... 35/9

RECORD. These shoes are such outstanding value that they have been widely copied. Compare these points in a genuine Record. Black creamed leather trimmed around top and down front opening with red leather (not plastic which has a tendancy to split). Leather



 A splendidly made Shoe, lacing well upon the instep. Padded around top to prevent chafing. With tan willow calf

chafing. With tan willow calf uppers, and finest quality flexible leather sole. Very supple ... 33/9

ROUGHSTUFF. The original off-the-beaten-track shoe. Made from fully-chromed rich tan leather. Ski pattern front and web tongue keeps all wet out. Fine solid bend sole, with narrow sewn welt. Stiffened back. Will keep out the wettest weather and stand up to the hardest wear 49/11 pair



#### REG HARRIS SHOES

ROAD. One piece sole with horseshoe heel. Distinctive joined front. Rolled edge, sewn inside to prevent chafing. Steel stiffener at instep ... 41/-

SPRINT "Winter" Type. Broad toe one-piece upper. Light and supple 41/-

#### EILEEN SHERIDAN

This rider's design for a dainty but sturdy ladies shoe. In soft black calf. 39/6

#### WORTHY STOCKINGS

RICHELIEU. We did not register the name "Richelieu" when introducing this stocking to this country and as a result of its great popularity some stockings have appeared under the name which are not in the Genuine French style.

The correct French Stocking is fancy-knit from top to heel and is made from strong natural cotton. They have elastic at top and are Nylon-spliced. Available in White, Grey, Blue-grey, Fawn and Chocolate. All sizes, Ladies and Gents ... ... ... ... 7/11 pair ALL WOOL. Plain Turnover Tops, ribbed legs. In Dark Fawn, Lovat and Bottle Green, Maroon, Saxe Blue. Very smart ... ... 8/3 pair

#### WORTHY SHORTS



N.B. Ladies Shorts have zip one side and two side pockets.

Special attention has been given to the cut of Holdsworth's "Worthy" shorts. They are full cut with good rise at the back, pleated fronts, slanting pockets, hip pocket with flap button. Extended waist-band. Double seated Sizes: Gent's 28"—38". Ladies 24"—32"

VELVET CORD. Super quality being genuine fustian. Soft and hardwearing. Rich brown shade ... 46/6 pair Ladies ... 42/8 ,,

WHIPCORD. The original Whipco.d Short with just the right amount of strength to wear

well whilst not being too heavy for summer use. A boon to the hard-rider. Rich soft Brown. ... 43/- pair Ladies ... 39/3 ...

WORTHY GREEN CLOTH. A woven twill mixture of Wool, Rayon and Cotton. A distinctive hard-wearing short for the discriminating rider. Light weight for summer wear ... ... ... ... ... ... ... 37/6 pair

#### WORTHY RACING SHORTS

"Worthy" Racing Shorts are supreme and are undoubtably worn by the vast majority of British Racing men and women. The introduction of the new Silk Lustre Short shows our intimate knowledge of the racing man's requirements. Riders of international repute who have had an opportunity of examining these shorts have said: "Here is a Continental short at a British price".

SILK LUSTRE MATERIAL with CHAMOIS SEAT. Keeps its shape, fits closely and always looks smart. Sizes: 30", 32", 34" 32/6 Genuine Continental Madison style. Reinforced back that will not pull away. After many attempts to obtain the right article we can positively recommend these ... ... ... 24/6

WOOLLEN with CHAMOIS SEAT. Sizes: 30"-36".

HEAVY GRADE COTTON. Sizes: 32" and 34".

With CHAMOIS SEAT 14/6. With COTTON double seat ... 9/11

#### WORTHY SWEATERS AND JERSEYS



LE PARIS. Although illustrated, we feel that no illustration can do justice to the smartness and quality of this British knitted sweater. The stitch used ensures that the garment will keep its shape and not sag. 22 ozs. in weight, this pure wool garment has a full length zip and the distinctive flat collar enables it to be worn with or without a jacket.

The collar, cuffs and wrists are trimmed with

neat contrasting bands and the sweater is available in Nigger Brown, Light Navy, Austrian Maroon or Bottle Green. Sizes: 36", 38", 40" ... ... 79/11

We have added two garments made by the famous firm of Pick.

ALL WOOL "CONTINENTAL" as illustrated with

small shawl collar, long sleeves and smart wide band in contrasting colours across chest. In Tobacco Brown, Bottle Green and Paton Blue. Medium size ... 35/9 Large size ... 40/-

ROLL COLLAR JER-SEY. Wool with plaited back. The snug-fitting collar has a short zip. Can be worn with or without jacket. In self colours Camel, Navy, Bottle and Maroon. Men's size only ... 27/3



Tour de France. A jersey of excellent design and cut. Fine ribbed finish in pure soft wool. Quarter length sleeves and a close-fitting crew neck are set off by four quarter-inch bands of white across the chest only. Available in Navy, Maroon, and Bottle Green. Men's size only.

30/6 each

LEG WARMERS

In heavy close-rib wool, coming well up the thighs and with strap under instep. Just the thing for slipping on between races or for chilly mornings on the road. In Black ... 26/3



#### TRAINING SUITS

Not just an athletic track suit but one designed specially for cyclists.

The blouse has a full open-end zip; latest flat collar and contrasting colour yoke; breast pocket with buttoned flap; elastic at waist. The legs are cut for cycling

with long zips at ankles so that they keep clear of the chain when riding. They have double seat and two side pockets. Elastic at waist.

The whole is cut from strong fleecybacked material in Black with the yoke and flap to breast pocket in Amber or Russet. In three sizes.

#### 64/6

#### TRACK SUITS

The "WORTHY" has proved over the past few seasons to be of outstanding value. Ample cut with double front. Zips at ankles and neck, elastic at waist and wrists. Hip pocket. Wind resisting fleecy-backed material in Black, Maroon, Navy, Bottle Green, Royal Blue. Three sizes ... 52/6



# WORTHY ROAD & MASSED START JERSEYS With pockets front and back and short sleeves.

Wool. Close knit from fine wool. Crew neck with zip. In Italian or Belgium colours or Red, White and Blue. Club colours to order-if less than 6 vests; 2 - each extra. 45/6 Quotations for variations in styles. SILK LUSTRE. Smooth finish. Lacoste collar with zip. Sky with Royal, Emerald or Scarlet band. Black with Amber, Scarlet or Emerald band. Three sizes 35/9 HEAVY COTTON. With Crew neck. Colours as Silk Lustre 24/6 Plain colours in slightly heavier cotton. Black, Maroon, Dark Green



#### WORTHY RACING VESTS (Path)



SILK LUSTRE. A very attractive silky finish which fits close to the body. Short zip at "bateau" neck (see illustration) \(\frac{1}{2}\) sleeves and band around chest. White with Emerald, Royal or Scarlet band. Black with Scarlet, Emerald or Amber band ... 22/6

HEAVY KNITTED COTTON.
Woven-in band around chest. \(\frac{1}{2}\)
sleeves. Crew neck. Colours as
Silk Lustre ... ... 13/11
Similar Vest in lighter cotton 8/11

CLUB NOTICE. Heavy Cotton Jerseys or Vests can be supplied in many combinations of colours. Silk Lustre using only the colours Sky, Royal, Maroon, Scarlet, White, Black, Amber, Emerald. Orders for minimum of 1 doz. Extra charge from 2/- a vest according to design.

#### ACCESSORIES and SUNDRIES

#### ATHLETIC BATH SALTS

Recommended by Reg Harris

12 oz. tin 2/8

#### BAGS

#### HOLDSWORTH'S

" EVERYMAN ". Made from special composition, looks like leather, wears like leather. Waterproof. Keeps shape. Two side pockets, strap fastening. Map pocket on top, turnbuckle fastening. Size of Bag: 121" x 71" x 8/5". As illustrated ... ...



"BAYCLIFF" BAGS

In Heavy Duty Double Texture Waterproof Canvas with twill lining. The "STRONG PACK" 13" x 9" x 8\frac{1}{2}". Two end pockets with leather bound hood flaps and fastening straps. Generous wearing piece at rear and bottom. Long straps extending over top of bag and provided with metal loops for cape straps ... ... ... ... ... ... ... ... ... 45/7

In best quality Leather-cloth:

lining. Cape strap loops

#### PANNIER BAGS

A method of carrying touring kit becoming more popular from year to year. "DEVONIA" Pannier Set consisting of two bags, each 11½" x 10½" x 4".

Two large Rear Pockets with hooded tops. Made in heavy grade black lea-Piped edges. therette. Leather reinforcements to sides. Straps to flaps. Fitted with Quill Quick Release (as next page) 46/6 pair





"HIGHLANDER" Set for long and hard wear. Made from heavy duty mail waterproof material, twill lined. Long fully chromed straps and chafing protections. Size overall, 12" x 11" x 5". Pockets 8" x 4½" x 1½" (will take Maps, Touring Handbooks, etc.) fitted with hooded tops. Stout carrying handle on top of each bag. Bags with Quill Quick Release fittings for easy attachment to and removal from carrier 74/9

#### PANNIER BAG QUICK RELEASE

(Patent applied for)

The snag with pannier bags has been the strapping to, and detaching from the carrier—a good ten-minute job at the best of times, but when it has to be done in the dark after a muddy ride. . .! But with a "Quill" Quick-Release it's off or on in ten seconds. Just lift to disengage the top hooks. Supplied drilled ready to rivet or bolt on to your own pannier bags 5/6 pair



#### PANNIER BAG CARRIER

#### BAG SUPPORTS and CARRIERS

BROOKS. Rigid all-chrome support. Can be easily detached by wing nut ... ... ... ... ... 5/6

LLOYDS. The "Spring-on" support, made in two seat stay sizes 1" or 1". Black 4/6, Chrome 5/3, Polished Alloy 5/6.
"HYLO" Adjustable, any height or angle easily obtained. Chrome finish

#### HANDIBAGS

Made from 5 thou' Plastic Material. Can be used as waterproof linings for Pannier Bags or to wrap any damp or wet articles such as Racing "clobber" Swimming Costumes, etc., to keep them away from dry contents in bags. Size 15"×10"×5" ... ... 3/6

#### BELLS

Continental LA CLAIRETTE. Sturdy spring ring bell. Highly polished alloy .... ... ... 2/6 each Also highly polished Red, Blue, Gold, Green ... 3/- ,,

British VIC-TREE. "Ping" type. Very light. Polished Alloy 1/6 Colours ... 1/8 each

#### BOTTLES

The ALLES!

bottle is in a class

Spun from stout gauge aluminium, with corrugated sides, it can withstand an abnormal amount of knocking about. The diameter of 2½" is most convenient for the hand and all corners are rounded. The interior has been treated so as to eliminate any possibility of harmful effect on the fluid carried. An aluminium capped cork completes a first class job. Weight only 4 ozs. each.



Dull finish 4/9 each. Polished 5/3 each.

The "H" Bottle. Fits Allez or Simplex cages ...

Spare aluminium capped corks for Allez bottles


DRINKING TUBES ... ... ... ...

Polished 3/3 each ... 6d. ,,

#### BOTTLE CARRIERS

For ALLEY Bottles

Strong galvanised wire (as illustration) Single. Handlebar or down tube fitting 4/6 each Double ... 7/6, In Alloy Strip. Weight only 4 ozs. Double only 8/6 each



SIMPLEX Carriers, the famous French article. Single (Handlebar or Down Tube) 6/6 Double 8/6

BRACKET FITTINGS AND SETS


B.W. "FEATHERWEIGHT". The latest Continental
type 5/2
CHATER-LEA Axles. 1½" chain-line for ½" balls (No. 1615)
or 16" balls (No. 1007) 3/9 each
No. 1240/1 for Double Chainwheels 5/
CHATER-LEA Cups. Fixed or adjustable. Chrome 3/
CHATER-LEA Locking Rings 1/9 ,,
GNUTTI Standard or G.C.C. Hollow axles.
Nickel chrome steel 14/6 set. Chrome steel 11/6 set.
GNUTTI Cotterless spares stocked.

#### BRAKES

"BULLA". (As illustrated). A very smart and neat brake with the usual high standard of Italian workmanship and finish. Instantaneous quick release. Narrow stirrups. Latest checkribbed silver cables. Levers fitted with up-to-date pattern Honking Rubbers. This brake is sturdy—it has to be to stop the Italians when crashing down the Alps!

Price, complete with rubbers.
37/6 pair

ALP. Famous French Brake. Quick release or "High Life" pattern. 39/- pair WEINMANN. Quick release. Swiss precision workmanship and finish. 41/9 pair



BRITISH G.B. The British Alloy Brake which has been an outstanding success. Ample adjustment for 26" or 27".

"Coureur" Nylon Bush Pivot. "Superhood" Lever 40/- pair "Standard" with "Superhood" ... ... 40/- pair "Standard" with Racing Lever ... ... 38/6 pair "Grandtour" with Nylon Bush Pivot. Tourist Lever 38/6 pair Any of the above with extra length cable for Tandem 2/- extra

BRAKE LEVERS

BULL	A. Complete with rubbers	1/0	eacr
BART	ALI. "Roi des Grimpeurs". Special top finger-grip	10/6	**
ALP.	Continental	7/9	**
MAF	AC. Without rubber cap 9/6. Complete	12/6	
BEBO	REX. Super hood with grooved finger grip	11/6	
G.B.	Hooded alloy. (For # and # bars)	7/6	**
V. 2000	(Available in racing or tourist pattern).		
G.B.	Super hood lever, thumb adjustment	10/-	**

BRAKE BLOCKS

LA VIPERE. The celebrated "octopus" grip. Fine for wet weather. Soft or hard ... 11d. WEINMANN STUDDED. Usual Swiss value. Red or Grey ... 10d. SPHINX. Not too hard not too soft. Will give good wear and not harm the lightest rim ... 9d.

narm the ngmest im	***	***				
BRAKE	ST	INDR	TES			
	DC	MUNI	ILS			
"HONKING" RUBBERS	·7275				2000	
G.B. State if for the "Super ho	od "	or ordi	nary	***	4/6	pair
SHOCKSTOP. Translucent. P	lain	***	***	***	2/3	**
CONSTRICTOR. Translucent.		le patter	n grip	***	2/3 3/9 3/-	**
CONSTRICTOR. Lever Sleeve		***	***	***	3/-	**
OUTER CASING		9				
Best check ribbed plastic. Will	not	fray or	crack.	Silver	, Red, B	lue,
Green, Yellow, Black, or White		***	***	***	4d. per	foot
CABLE CLIPS					III Vanance	-
DUNLOP. Coloured	***	***	***		3d. e	ach
TERRY. Chrome 1" and 11"		***	***		2d.	**
	4 0					

16

#### CHAINS

CHAINS
1" x 1" COVENTRY 7/4; ELITE 9/1
1" x 3 BRAMPTON 10/3; PERRY 9/6; ELIOS 12/6; YELLOREX
9/6: PALLAS 7/6
1" x 1 REGINA 25/-; RENOLDS 58/9; RENOLDS Twin-roller 9/7
CHAINWHEEL SETS (Single)
WILLIAMS C34. Sturdy design 3-pin 1" and 12". Up to 48T (Larger
eizes extra—tee prices of rings) 21/6
sizes extra—see prices of rings) 21/6 C34. 1" x ½" 16 to 24 Γ (Larger sizes extra) 21/11
C45. New design which obviates the necessity of removing pedal.
1" and 1. Up to 48T (1/5 extra 49 and 50T only) 21/6
1" and 1.". Up to 48T (1/5 extra 49 and 50T only) 21/6 C1000 Streamline; lightweight. 3-pin. 1" and 1." 44, 46, 48T 34/9
C1200 Continental pattern. Fluted 62" cranks 3-pin 2" and 4"
44 to 50T (except 45T) 61/9 STRONGLIGHT. First class French 3-arm set. Excellent machining
STRONGLIGHT. First class French 3-arm set. Excellent machining
and finish. 46, 47, 48, 50T 1" and 11" 47/6
GNUTTI. Cotterless. Splined fitting incorporating best nickel- chrome Bracket Set, Cranks, Spanner and Single Ring. All sizes
46 to 52T 70/6 Standard. 3-pin, 62" cranks. Same sizes 48/6
CHAINWHEEL SETS (Double)
WILLIAMS. C34. Any combination 32 to 48T 34/9 C45. Any combination 44 to 50T 34/9
C1232. Ditto 75/- STRONGLIGHT. Made up with SIMPLEX rings. For sizes see
below, &" 72/6
below. A" 72/6 GNUTTI. Cotterless 46/49, 47/50, 48/51T 87/6 Standard. 64/6
CHAINRINGS (Single)
WILLIAMS. C34, 32, 38, 40, 42, 44, 46, 47, 48T 8/-; 49, 50, 52T 9/5 54T 10/7; 56T 11/11; 58T 13/-; 60T 15/4 C34 1" pitch 16, 19, 20, 21, 22, 23, 24T 8/5; 25, 26T 9/9 27T 11/11; 28T 13/-; 29T 15/4; 30T 18/2 C45, 44, 46, 47, 48T 8/-; 49, 50T 9/5
54T 10/7; 56T 11/11; 58T 13/-; 60T 15/4
C34 1" pitch 16, 19, 20, 21, 22, 23, 24T 8/5; 25, 26T 9/9 27T 11/11;
28T 13/-; 29T 15/4; 30T 18/2
C45, 44, 46, 47, 48T 8/-; 49, 50T 9/5
14.D. If Cot or Cto Kings are to make up Double Dets they must
be ordered as " Double ".
C1000 44, 46, 48T 10/3 C1200 44, 46, 47, 48, 49, 50T 11/3 CHATER. ** x ** 36, 38, 40T 16/-; 42T 16/6; 44T 17/-; 46T 17/6;
47 and 48T 18/- 40T 18/6 50T 10/- 52T 20/- 56T 22/-
47 and 48T 18/-; 49T 18/6; 50T 19/-; 52T 20/-; 56T 22/- * x * 40T 17/6; 42T 18/-; 44T 18/6; 46T 19/-; 47 and 48T
19/6; 50T 20/6; 52T 21/6; 56T 23/6
1" x 4" 22T 18/6; 23T 19/-; 24T 19/6; 25T 20/6; 26T 21/6
27T 22/6; 28T 23/6; 29T 25/-
STRONGLIGHT. 46, 47, 50T 1 and 1 10/6
GNUTTI 46, 47, 48, 49, 50T 15/-
CHAINRINGS (Double)
WILLIAMS. C34 and C45. Conversion Set (Quote if for 1" or 11") 14/2
C1032. Inner 46, 47, 48T 12/3. Outer 49, 50T 14/2
C1232. Inner 46, 47T 12/3; Outer 49, 50T 16/-
CHATER. 46/49T 39/-; 47/50T 40/-; 49/52T 41/6
GNUTTI. (Inner ring inside normal position) 46/49, 47/50, 49/51T
SIMPLEX. (Set centrally or inside.) Inner rings 45 to 49T. Outer
49 50TT
48 to 521

#### CRANKS

CHATER. Three-arm fluted square cranks 6½", 6½" or 7" 65/- pair (Price includes cotters and chainwheel bolts)

STRONGLIGHT. Leading Continental make, fluted. 3-pin suitable for Simplex double chain wheels 37/6, "COMPETITION" De Luxe 39/9



#### "KIDDIE CRANK"

This little fitment reduces the crank length by 2". It is primarily intended to accommodate a child on the back of a tandem. Fixed and unfixed in five minutes. Involves no permanent alteration to machine. Heavily chromed ... 19/6 pair Send for special leaflet.

#### COTTER PINS

Standard size—chrome plated 4½d. each CONTINENTAL 9d. each "ALLEZ!" Extra long. Cadmium plated ... 6d. each WILLIAMS 7d. each. CHATER 1/3 each

#### CHAIN WHEEL BOLTS

CHATER bolts-set of three bolts 1/3. Williams pattern 2d. each



#### CYCLOMETERS

LUCAS "King of the Road" chromium plated. Records up to 10,000 miles and then repeats. Bright clear figures record miles and tenths of miles, 26" or 27" 7/6

The "GRUBB" alloy clip for front fork blade. Saves resetting after removing your wheel ... ... 2/- each

#### **EMBROCATION**

ELLIMAN ATHLETIC RUB. The good old favourite. Made from the finest ingredients ... 2/Also CURACHO, Small 2/4½, Large 3/11½.
For cold weather, ask for "Thermal Curacho" (same price but small size only).

#### ENTRY FORMS


R.T.T.C. Forms (Blank at top) ... 3/4 per hundred Plus postage 100, 4d.; 200, 8d.; 300, 1/1; 400, 1/3 They can be over printed with all the necessary headings for your "Open Events" at an extra flat charge of 19/6 (incl. Tax) for any number up to 400. Delivery usually 7—10 days. Just send your requirements with remittance for packing and postage (as above) to W. F. HOLDS-WORTH, 138-140 Beckenham Road, Beckenham, Kent.

#### MULTIPLE FREEWHEELS

#### REGINA GRAN SPORT

The Italian block which is practically a standard for any multiple gear. All sprockets detachable. Superb workmanship obvious at a glance. Further improved by grinding and lapping bearing races making it the most easily running freewheel of all. Italians like Coppi, Swiss like Koblet, French like Bobet, Dutch like Van Est, Belgians like [Derycke all say "Regina is Best".

4 x 3/32" (can be converted into five by exchanging smallest cog for double cog). Complete with cogs ... 18/6 A further advantage of this method of construction is that it permits of more "shoulder" on a 14T cog giving strength.



5 x 3/32". Complete with cogs	***	***	21/-
3 x 1" (flush-back) 16, 18, 20T only. Complete			13/6
EUREKA. 3/32". 4 up to 20T 18/6; 5 up to 21T			22/6
CYCLO 3. Top, 13-16; Middle 17-19; Low 18-28.	1"	***	21/6
CYCLO 4. Top, 13-16; 2nd, 17-19; 3rd, 18-25; 4th,	19-2	8. 1"	25/-
BENELUX 3. Top, 13-16; Middle, 15-17; Low, 1	7-28.	1" Be	055.
	F 1/45	2016	20/-
BENELUX 4. Top 13-16, 3rd 15-19 1st and 2nd 17			25/-
BENELUX 4 Top; 13-16; 3rd, 15-19; 1st and 2nd, 1			
BENELUX 5. Top, 13-16; 3rd and 4th, 15-19; 1st	and	2nd, 1	
			31/6

#### SPARE COGS

REGINA. Range 14T to 26T 3/32" only ... 3/-EUREKA. 14T to 20T 2/9; 21T to 24T 3/-; Double cogs 8/6 pair BENELUX. 1" 13T to 20T, 3/-; 21T to 28T, 4/-. 3/32" 6d. extra

#### FREEWHEEL REMOVERS

The new l					***	***	***	***	3/-
CYCLO-	For Sta	ndard o	or Bene	lux Bo	ss patte	ern	***	***	2/6
EUREKA	***	***	***	***	***	***	***	***	3/6

#### GEARS (Derailleur)

#### CAMPAGNOLO. GRAN SPORT GEARS.



The "KING OF GEARS". Equalled by none; envied by all. Its patented action ensures a rapid and positive change under any conditions. The cantilever arm movement, machined from bronze, ob-viates the use of a rigid arm which is always liable to accidental damage. The roller bearing cage is fully supported in all positions being locked to the body instead of "floating" on the end of a shaft. Moving parts liable to wear are reduced to four pins which are fitted with phosphor-bronze bushes, whilst the two pulley wheels are of exceedingly hard-wearing high tensile steel. Altogether, the precision workmanship, the materials used and the excellent finish combine to produce a gear which will give first class service for a long period.

Practically a "must" for Continental Pros. Look at this list of important "Tours" won last season on "Campag". Tour of Europe—Volpi (Italian), Tour of Italy—Clerici (Swiss), Tour of Switzerland—Fornara (Italian), Tour of Holland—Van Est (Dutch), Tour of Catalonia—Serina (Spanish), Tour of Croatia and Slovenia—Petrovic (Yugo-Slay), in addition, other prominent users include Consil Vollation. (Yugo-Slav), in addition, other prominent users include Coppi, Koblet and Derycke.

Don't throw away your chances by using a gear which may let you down at a critical moment-Change to and with "CAMPAG".

Refinements have been introduced for the 1	955	season,	
GRAN SPORT DERAILLEUR		***	75/-
With Bare Cables and Clips	***	***	80/-
GRAN SPORT FRONT CHANGER			45/-
With Bare Cables and Clips		***	48/6


If ordered as a pair can be supplied with double lever. Pump-holder incorporated in Lever 2/8 extra. Handlebar control 5/9 extra each gear.

#### SPORT SERIES:

	LEUR (Singl				 41/6
FRONT	CHANGER	(Hand operated)	***	***	 22/6

#### CAMPAGNOLO SUNDRIES:

Allan Key 2/-; Thin Cone Spanner 1/-; Spoke Disc 3/4.



#### SIMPLEX

"JUY 543". The latest model. Protected against wet and dirt. Oil bath change. Pre-selected for 3, 4, or 5 speeds. Pre-selected for 3, 4 and 5 speeds. Pre-selected for 3, 4 and 5 speeds. Pre-selected for 3, 4 or 5 speeds. P

lever controlled changer


HURET. The gear used by Louison Bobet—Winner of the Tour-de-France 1953 and 1954. World's Professional Champion 1954.

BOBET MODEL. The most up-to-date controlled tension gear ... 50/-

TOUR-DE-FRANCE. The cheapest double roller gear ... 25/-



FRONT CHANGERS. Lever controlled 23/6; Cable 26/N.B.—The Tour-de-France rear can be obtained in conjunction with
Front Changer actuated by twin levers ... ... 45/- set



#### BRITISH BENELUX

Well-known on all British roads.

BENELUX SPORT. The gear used last season by so many British professionals ... 47/6


STANDARD BENELUX ... 30/-

BENELUX FRONT CHANGER for

Cable controlled ... 27/-Lever controlled ... 25/-

#### HUB GEARS

STURMEY ARCHER—of course. A.C. The racing gear fitted with splined sprocket, wing-nuts and alloy shell 55/9



Other "STURMEY" Hubs

are:			- 6		9
3-speed-A.W. Wide Ratio 40/9.	A.M.	Medium	***	***	47/3
A.S.C. Fixed (medium	close)		***		58/-
A.S.C. Fixed (medium 4-speed—F.W. Wide Ratio 45/	F.M.	Medium	***	***	53/- 55/9
F.C. Close Ratio			***	***	55/9
Handlebar "Trigger" control fitt	ed to al	l above.			

#### HANDLEBAR BENDS


#### HANDLEBAR STEMS

DAWES Concorde. Used by leading mass-start exponents. New or

The Hand-made in Holdsworth's workshops. Steel. Lapped design. Fancy cut-out. Picked out in scarlet enamel. Heavily chromed. Expander 3" or 4" ... ... ... ... ... ... 30/Tandem, Headclip ... ... 27/6

Old Pattern ...

CINELLI Italian Steel with extra large clip. Heavily chromed 3½", 4", 4½", 5" ... 25/-



#### HANDLEBAR STEMS (continued)

G.B. Hiduminium Alloy—Expander 11 16/-; 21 18/-; 31 19/9 G.B. KROMO Steel 21, 3, 3, 31 25/- 4, 41, 41, 26/6; 5, 51, 51, 51, 28/6 ditto. Underslung 31, 41, 27/6; 5, 28/6
PRESTO Standard Single or Tandem 2" 19/- 3" 19/6 4" 20/- Drophead, single only 2" 20/- 3" 20/6 4" 21/- Tour-de-France (under-slung) 2" 23/- 3" 23/6 4" 24/- Merkens' (downward curve) 3", 1\(\frac{1}{2}\)" drop; 3\(\frac{1}{2}\)", 1" or 1\(\frac{1}{2}\)" drop  22/6
ACCLES and POLLOCK Major Taylor with clip. Expander fitting. Solo 29/6 Tandem (Head clip) 28/- Tandem Seat Pillar (T pin) with adjustable clip 1 1/32", 1 3/64", 1 1/16". Length of stem 12" 27/- Clip only 12/10
REYNOLDS-Alloy. All-in-one, Expander 21" 19/6
HANDLEBAR TAPE
There are many tapes available but "Allez", Twill and "Quelda" Plastic still maintain their place as the most popular. With their full 5-yard rolls and \{\frac{3}{2}\'' width they are the best value obtainable.
White, Blue, Yellow, Red, Green 2/- roll
"QUELDA" PLASTIC. Self-adhesive. In Black, White, Blue, Yellow, Red 1/6 roll
HANDLEBAR END PLUGS
"SHOCKSTOP" all rubber. In Claret, Blue, Black, Green and Natural 1/- pair DUNLOP. Black, Red, or White rubber with expander screw 1/6 pair
KEN RUSSELL End Caps 1/3 ,,
HEAD FITTINGS
STRONGLIGHT. Best grade French "Competition"


STRONGLIGHT. Best grade French "Competition" set, special "V" races ... ... 18/6 GNUTTI. Italian fittings. Decagon 11/6. The Extra 10/6 "ALATET". The British Continental pattern set with decagon design ... ... 8/-BRAMPTON and CHATER. All standard fittings available.

#### **HUB COGS**

1" x 1" 12T to 16T 1/6;	17T to 22'	Г	***	1/8
1" x 16" 6T to 9T	***		***	2/-
B.W. 14T to 20T	***		***	2/6
B.W. Unit Hub Cogs.	14T to 21	T 1"	***	2/-
16T to 17T (without flar	ige)			2/-

# HUBS (CONTINENTAL) CAMPAGNOLO QUICK RELEASE

The original "calibrated blocage" Quick Release Hubs made with micro meter precision. The automatic pressure wingnuts are released by a "flick" of the finger and at once the hub is free. The very best materials are used in their



manufacture and the finish is outstanding.

Used by the leading professional riders in every European Country. Frenchmen—Bobet, Italians—Coppi, Swiss—Koblet, Belgians—Van Steenbergen, Dutchmen—Van Est, Germans—Hoerman, Spaniards—Ruiz; all put their trust in "Campag". Why don't you?

Single sided for gear or double sided for gear and fixed.

Standard flange 66/6 pair. Large flange 99/6 pair.


F.B. (FRATELLI BRIVIO)

If you require a plain hub without quick release you cannot better these really first-class Italian hubs. They are of outstanding workmanship and finish and justly deserve their excellent reputation.

Alloy flange on steel barrel. Alternatively drilled for weight-saving. Large flange 72/-. Small flange 36/-Available double-sided fixed or gear and fixed. Also single sided gear or fixed.

Both "Campagnolo" and "F.B." Hubs are also available drilled 36/36.

# LEONE HUBS QUICK RELEASE



The latest Italian "Blocage" Hubs. Alloy shells with first class steel spindles perfectly machined. Cups and Cones of high tensile steel for hard wear. In-

stantaneous release mechanism. Double sided. Small flange 55/6 pair. Large flange slightly dished for perfect wheel building. Drilled in attractive pattern as illustrated Large Flange Hubs can be supplied with the flanges anodised in Scar-let or Royal Blue making an extremely smart wheel ... 3/- extra ... 3/- extra The popular Italian GNUTTI. Alloy shell, finest steel spindle and cups. Chromed. Single sided or double-sided for fixed or for gear and fixed 33/6 pair Fitted with Quick Release Attachments-" A flick and it's free". A positive fixture whilst in use. Single-sided for gear or double-sided for gear and fixed ... Also the GNUTTI " Airone ". A good hub at a reasonable price. Fixed and gear only ... ... 26.6 pair FULL STOCK of all spares for CAMPAGNOLO, F.B., LEONE and GNUTTI Hubs.

#### HUBS-BRITISH


BLUMFIELD " D	Can be h	ubs. The	produ	ct of a	speciali	st pre	cision
Small Flange Large ,,		Front		707-TE	Rear	37/	
BRITISH HUB C often not be availa "Airlite Continer "Airlite". Smal	ble). ntal ". La: l Flange 46:	rge Flang	e 74/	with C			e 92/3 65/3
"Solite". Small	Flange	***	***	***	***	***	27/-
CONSTRICTOR Quick Release Con	version Se	t. Skewe	er patt:	rn, S	et for F	Coar 1	Wheel 12/6

#### **HUBS (BRITISH) Continued**

BAYLISS WILEY'S large flange hubs. Nos. 19 and 20/21.

Continental Hub Set, centre machined from the solid for greater strength. ‡" ball bearings, accurately ground, ensure maximum smoothness in running. Large diameter spoke flanges are machined from hiduminium, an aluminium alloy of high tensile strength. Spindle hollowed for lightness, with washers and locknuts in chrome finish. The rear hub screwed for cog and lock-ring both sides.

Price: Front hub (No. 19) ... 26/1 each Rear hub. D/F No. 20. ... 30/5 Screwed for cog and lock-ring one side and freewheel the other side. Extra long spindle for Derailleur (No. 21) ... 30/5 each



BAYLISS WILEY'S famous pai	r-the	9 and	10.	Weight	18 oz	
pair. Chrome No. 9 front	***	***	***	***	***	7/7 9/11 10/3
No. 10 rear	***	***	***	***	***	9/11
New No. 11. Gear and Fixed	***	***	***	***	***	10/3
Front 20/- eac	ch Re	ar D/S	or G	/F	27/6	each
Also in Large Flange Rear G/F of Front No. 1660 40/- (If required, add 2)	Re 6 per	ar No.	1651 track	nuts).	***	45/-
POWELL. Superbly finished s cation nipple fitted to end of spir	ndles.				1-20-00	19-0-2
Small flange 43/8 pa	ir	Large fi	ange	***	72/3	3 pair

#### HUB TRACK NUTS

Chrome plated, front or rear. 1/3 pair

"ROSA" bright cadmium. As illustrated ... 1/9 set (4) Chromed ... 2/3 set (4)





#### **HUB WING NUTS**

Chrome plated No. 2 pattern, front or re- HURET. Bronze metal 3/9 set	ar	 Ch	rome	1/8 pair 4/3 set
		***	***	4/6 pair
STEEL. Lever pattern. Chrome	***	***	***	1/10 ,,



#### LAMPS—LUCIFER DYNAMO SETS

Superior workmanship and finish 6 v. .5 amp. 820A Aero and 807 Sport (Headlamp and dynamo incorporated) ... 57/6 816A. Long beam 57/6 809—With battery 65/– Aero-bi (two bulbs) 61/6

#### LAMP BRACKETS

Reynolds R.R.56, extruded hiduminit	um	***		5/-
Constrictor Conloy, snatchproof	***	***	***	
Chater-Lea steel, right hand, chrome	***	***	***	2/8
Steel, cadmium plated	***	***		1/9
(N B.—All above lamp brackets are for with securing bolts).	brazed-on	bosses,	and	are complete

Ashby clip-on with spring band. Alloy lamp bracket with serrated adjustment ... 3/9 each LATEST HANDLEBAR CLIP. Slips over any type of bend—does away with necessity for brazed boss on front forks. Black only (as illustrated). ... 1/3 each

#### MAPS

Barts. ‡" (based on Ordnance) on cloth ... 6/- each Dissected ... ... ... ... 9/- ,,



#### MAP MEASURERS



#### MUDFLAPS, etc.

BLUEMELS " Indestructible ". Clips at bottom of front mudguard ... ... 1/9 each

"KLEANFEET". (As illustrated). These handy plastic flaps assist in keeping your legs and feet dry. The strong elastic loops at the sides just slip over the mudguard bolts or wingnuts. In best plastic, weight only 1 oz. Gold or black 1/9 each

#### MUSETTES

Well made from proofed cotton materials. Two-button flap. Strong sling. Size 14" x 8". In variety of colours ... ... 4/4


#### OILERS

Tecalemit nipples, % diameter ... ... 3½d. each Oil-gun for Tecalemit nipples—" Visigun" ... 5/3 ,,
Grease gun for Tecalemit nipples ... ... 7/- ,,

# ALLEZ!

#### PEDALS

We must apologise to the many riders who were unable to obtain a pair of these popular Alloy Quill pattern Pedals last season. New tools for the one-piece frame castings had to be obtained and the stampings for the side-



plates reset. We are now able to offer an even better finish than previously and we are confident that we shall be able to keep abreast of orders this year.

Made from high grade duralumin alloy. Special toughened pedal plates for long life. The barrel and end-plates are in one piece, so cannot shake loose. Spindle and Cones from high grade steel with spindle drilled for lightness. Quill pattern gives wide tread accommodating most sizes in shoes with comfort. 5/32" balls throughout. Weight only 10 to ozs. ... Full stock of spares available, so if you have an accident, replacements can quickly be obtained. Spindles (L.or R.) 3/6 each 6d. each Dust-caps Felt Washers 2d. 6d. Cones Steel keyed washers 1d. 2d. Locknuts


Main frames (L. or R.) 7/6 each

LYOTARD. The first choice of all Continental pedals. In best quality steel and well chromed.

MARCEL BERTHET. (No. 23) Platform type. Will fit any size shoes. Weight only 11 ozs. pair ... 21/-FAUCHEUX ROAD. Single sided solid centre. Width 3½". Weight 13 ozs. pair 18/6 No. 15S. Similar but not curved at end of plate. Width 4". Weight 13 ozs. pair. Becoming one of the most popular 18/6 steel pedals No. 45. A Quill pattern Pedal with solid centre ... 17/6 TOUR de FRANCE. Double sided solid centre. Oil retaining cap. Width 31". Weight 15 ozs. pair... 17/6 PEDALS (Continued)
CHATER-LEA

The new 'SPRINT'. Stainless steel. Single-sided for maximum ground clearance.

Smooth-edged to accommodate shoe plates 5 balls 25/STANDARD. Double-sided stainless steel Spindles and Cones precision-ground 27/-



Cones precision growing =17		
CONSTRICTOR—		
Boa. Quill pattern made throughout of best qu	uality s	steel.
Chromed. Adjustable width 3\frac{3}{4}" to 4"	27/6	pair
Cobra 20/- pair Viper	20/-	pair
PHILI IPS		12
Credalux steel chrome quill pattern	15/3	pair
Apollo—Double-sided steel	7/10	,,
WEBB. The well-known steel quill pattern pedal	16/-	**
BLUEMELS— PUMPS		
"Tour of Britain." 1" diam. Alloy Pump, wi	th colo	ured
1001 Of Dittail. 1 Chang Time, 2	TOTAL COLOR	10/-
plastic ring-grips 18", of course,	•••	610

BLUEMEI	2		CHILL	-27			
"Tour of	Britain."	1" d	iam. Al	loy Pu	mp, wit	h colo	ured
plastic ring	rarine 18	" of co	urse				10/-
plastic This	"gups 10	, 01 0	, union,		T1 1		6/9
"Lightwe	ight" Ce	lluloid	18", WI	nite or	Black	***	
"Air-Weig	tht" poli	shed al	lov, 18"				7 -
" Feather					18"		7/3
					18"		7/9
"Feather	weight "	15".	White	0/0			
ZEFAL.	TL - Cant	-antal	Allow P	himn	Polishe	d 15"	7/9
ZEFAL.	ne Cont	mentai	Anoy I	unip.	LOMBIA		0.70
18" 9/6	Coloure	d 15"	9/9. 1	8" 11	1/3 each		
PENNINE	COMPI	PESSE	DAIR	PUME	. Take	es spar	rklets
LEMMATIAL	COMIL	LLUULI				LID	tuba
C.0.2 syph	on cyline	der. V	vill infla	ite tub	ular or	H.F.	tube
in less that	- faur co	conde	A defin	nite bo	on to r	acing	men.
in less tha	n four se	conus.	A dem	ante be			1216
Thoroughly	v tested.	Includi	ng three	e refill	S	***	The second secon
Refills		=10-73-11-10-10				7 ½ d.	each
Remis							

#### PUMP CONNECTIONS

BLUEMELS. No. 9. Standard 1/- ea. 9a H.P. 1/- each P.9 Fits ordinary or H.P. valves ... 1/4 , ZEFAL. Continental for H.P. valves ... 1/6 , PUSH-ON Adaptors, "Flector" ... 1/6 , CAMPAGNOLO. Heavily chromed. Screw-on adaptor with locking grub screw and rubber cushioned feet to fit the curve of the tube when used without a pump-peg 10/-

#### PUMP CLIPS

DOTAL COME		
DE LUXE. Latest French screw-on clips of		
Heavily chromed		3/4
	l workma	nship
and finish associated with this name.		
Simple Pump Peg for seat or top tube		3/-
Pump holder for seat or top tube		6/-
		14/8
HEART STONE		26/8
Any of the above pump holders can be used wi	th the follo	
For screw-on pump connection; with cushi	oned fitting	10/-
Combined holder and gear wire channel sto	op for Seat	-tube
or Down-tube pump position. (State which		6/8
TERRY'S. Chrome 1" x \(\frac{1}{3}\)"		
	1/6	
	.,. 2/0	,,,
RIMS—SPRINT		
FIAMME. More and more of these		
famous Italian rims are used year by		
year. To attain the fastest speeds it		
is essential that you have a "tight"	AND STATES	
pair of wheels. The "Longhi"	1000	A .
patent (as illustrated) design where-	ACCESS OF	
by the pull of the spokes is dis-	16	
tributed between the inner and	The second	
	1	題網
outer edges of the rim enables such	Control	
a wheel to be built and, moreover, it		
will maintain these qualities. In addition to		
British riders a large majority of famous C		
rely upon FIAMME. Two weights Roa	d (14 ozs.	) and
Track (12 ozs.), either	45/-	pair
Track (12 ozs.), either Available in 27" only but can be supplied	drilled 36	/36 if
preferred.		
WEINMANN alloy. Scherens. 27" only		pair
	49/6	"
CONSTRICTOR Conloy. Weight 12½ ozs.,	27" 54/-	,,
D'ALESSANDRO Wood Rims. Flat section	n 27"	37/6
CODING DIME CEMENTS AN	TADE	•
SPRINT RIMS—CEMENTS AN		
DUNLOP Rim Cement		2/6
JANTEX Double-sided tacky-tape		4 roll
CONSTRICTOR Zone Double-sided tacky	-tape 3	/- »,
: 10 : : : : : : : : : : : : : : : : :		100 Sept.

#### RIMS—WIRED-ON

FIAMME. Famous Italian Alloy Rim. Special design giving extra strength. 27" only. A well-finished and dependable rim Now with roughened surface for wet weather braking ...

ALESA (Weinmann). Another first class Continental rim of Swiss manufacture. Builds up into a fast and strong wheel. 26" or 27" Endrick 45/-H.P. 40/-.

CONSTRICTOR. Made from Conloy material; claimed to be the strongest alloy.

ASP. Recognised "The Best", 26" or 27", weight 17 ozs.

COBRA. The new rim. 26" or 27". Weight 16 ozs. ...

MAMBA. Solid alloy. 27" only, weight 18 ozs. ...

BOALOY. 26" or 27". Weight 24 ozs. ... 57/6 ,, 27/6 pair 40/- "

RIGIDA STEEL H.P. Braking surface "dimpled" to provide grip in wet weather. Builds up into a fine wheel. French "Crolux" finish 25/6

#### RIM TAPES

Rubber rim tapes for H.P. or Endrick Rims CONSTRICTOR. Round section to fit into deep-welled rims

#### RIVET EXTRACTORS

CYCLO ... 5/-FIFON ...

#### SADDLES

IDEALE. The well-known French Racing Saddle. Model 41. Natural colour leather top, on chrome chassis. Curved cantle for comfort. Perforated edges. Bag slots. Size: 11" x 6#



BROOKS. Famed throughout the world. Only cut from best "butt" leather-they have a reputation to maintain.

B.17 SERIES. Narrow 11" x 6" x 3\frac{1}{2}" 1 lb. 10 ozs., Sprinter 11" x 4\frac{1}{4}" x 2\frac{1}{2}" 1 lb. 7 ozs. Standard 11" x 6\frac{1}{4}" x 3\frac{1}{2}" 1 lb. 12 ozs., Flyer 11" x 5" x 3" 1 lb. 8 ozs. Any of this series. Black frame 46/6. Chromed 49/-

New B.17 COMPETITION STANDARD. Cut-away back, Chamfered flaps. 11" x 6\frac{1}{2}" x 3\frac{1}{2} 1 lb. 7 ozs. "Plain" or "Greased-dressed" 47/6 Chromed 50/-

SWALLOW cut-away type—the favourite amongst roadmen. 64/-B.15. 11" x 6\frac{2}" x 3\frac{1}{2}" 1 lb. 11 ozs. Now available in Narrow or Flyer styles

## SADDLES (continued)

MANSFIELD'S well-kno	wwn Ra	cing Sa	ddles				
38N. Size: 111 x 6".	Best bu	tt leath	er top				24/-
The New ORMOND.	The e	ever-pop	pular 1				
saddle. Slightly narrows							
R.R. 56 frame	***				-::-		40/-
NORTH ROAD. Cuta No. 42 SPRINT. 111	way lac	ed top	45/- 1	SATH	ROAD	***	35/-
LYCETTS. L.15 N.R.	N 44 Dasina						24/-
LICEIIS. L.IS N.R.	Kacing	pattern		***	***	***	20/3
SA	ADD	LE C	OVE	RS			
QUELDA PLASTIC. It	is your	r duty to	o your	pocket	and to	your	self to
keep the rain from your	saddle	one v	vetting	will d	lo more	harn	n than
a year's riding. These							
but a moment to fit	***	•••	***	***	***	1/	6 each
SAD	DLE	SHIE	LDS	, etc			
BROOKS-Celluloid. F						vhen	riding
without mudguards. Tw	o sizes	-sprint	er and	narrov	w		1/6
BROOKS PROOFIDE.	For a	all-weath			n of yo		
A sound investment	***	***	***	***	***	30	1/4 tin
SADDLE SUPPO	RTS	_				5	2
HOLDSWORTH'S		0		- 111	-	- 2	
TIOL DO TO CITE IN D							
u exmen it							
"SURE" saddle suppor	t fits o	n the st	retchir	ng bolt	of the	sadd	le and
clips around any 1" diar	neter t	op tube	or to	the se	at pilla	r. K	nurled
clips around any 1" dian thumb-screw adjustment	neter to	op tube 5" to	or to	the se Veight	at pilla only a	r. K	nurled
clips around any 1" diar	neter to t from mplete	op tube 5" to with cli	or to 9". V ps, etc	the se Veight	at pilla only a	r. K	nurled ple of
clips around any 1" dian thumb-screw adjustment ounces. Plated finish con	neter to t from mplete SP	op tube 5" to with cli	or to 9". V ps, etc	the se Veight	at pilla only a 	cou 4/	nurled ple of 6 each
clips around any 1" dian thumb-screw adjustment ounces. Plated finish con "KING DICK" Ad	t from mplete SP. ljustal	op tube 5" to with cli ANNE ble, 3"	or to 9". V ps, etc RS long	the se Veight	only a	r. K cou 4/	nurled ple of 6 each
clips around any 1" dianthumb-screw adjustment ounces. Plated finish commerces. Plated finish commerces with the commerces of the commerce of the commerces of	reter to t from mplete SP. ljustal Ring	op tube 5" to with cli ANNE ble, 3" Spann	or to 9". V ps, etc CRS long er. S	the se Veight  6/ Strong	only a  4" long and	g ligh	nurled ple of 6 each 7/3 at for
"KING DICK" Ad "KING DICK". I front and rear hub n	reter to t from mplete SP. ljustal Ring	op tube 5" to with cli ANNE ble, 3" Spann	or to 9". V ps, etc CRS long er. S	the se Veight  6/ Strong	only a  4" long and	r. K cou 4/	nurled ple of 6 each
"KING DICK" Ad "KING DICK". I front and rear hub no	sp. ljustal Ring uts 1	op tube 5" to with cli ANNE ole, 3" Spann x 18"	or to 9". V ps, etc CRS long er. S	the se Veight  6/ Strong	4" long and	g ligh	7/3 at for 5/5
"KING DICK" Ad "KING DICK". I front and rear hub no	sp. ljustal Ring uts 1	op tube 5" to with cli ANNE ole, 3" Spann x 18"	or to 9". V ps, etc CRS long er. S	the se Veight  6/ Strong	4" long and	g ligh	7/3 at for 5/5
"KING DICK" Ad "KING DICK". I front and rear hub no	sp. ljustal Ring uts 1	op tube 5" to with cli ANNE ole, 3" Spann x 18"	or to 9". V ps, etc CRS long er. S	the se Veight  6/ Strong	4" long and	g ligh	7/3 at for 5/5
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann	sp. ljustal Ring uts ‡"	op tube 5" to with cli ANNE ble, 3" Spann x 1s" 1/- the right	or to 9". V ps, etc  CRS long er. S Allar at tool	the se Veight  6/ Strong	4" long and	g ligh	7/3 at for 5/5 2/- 3/-
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners—	sp. ljustal Ring uts ‡"	op tube 5" to with cli ANNE ole, 3" Spann x 1/- the right	or to 9". V ps, etc  RS long er. S Allan at tool ars	the se Veight 6/ Strong	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/-
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd	sp. ljustal Ring uts ‡" for Cy lle Sp	op tube 5" to with cli ANNE ble, 3" Spann x 1s" 1/- the right yclo ge anners	or to 9". V ps, etc  CRS long er. S Allan at tool ars	the se Veight  6/ Strong  n Key	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B.	sp. ljustal Ring uts ‡" her—t for Cy lle Sp	ANNE ole, 3" Spanne x 1/- the right yclo ge anners 11d.	or to 9". V ps, etc  CRS long er. S Allan at tool ars	the se Veight  6/ Strong  n Key	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/-
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub m CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone	sp. ljustal Ring uts ‡" ner—t for Cy lle Sp	op tube 5" to with cli ANNE ble, 3" Spann x 1s" 1/- the right yclo ge anners 11d. 8d.	or to 9". V ps, etc  RS long er. S Allar at tool ars	6/ Strong May	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d.
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B.	sp. ljustal Ring uts ‡" ner—t for Cy lle Sp	op tube 5" to with cli ANNE ble, 3" Spann x 1s" 1/- the right yclo ge anners 11d. 8d.	or to 9". V ps, etc  RS long er. S Allar at tool ars	6/ Strong May	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub m CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone MAFAC Tool Kits.	sp. ljustal Ring uts ‡" for Cy lle Sp Fit e	op tube 5" to with cli ANNE ble, 3" Spann x 1s"  1/- the right yclo ge anners 11d. 8d. everyth	or to 9". V ps, etc  RS long er. S Allar at tool ars ning	the se Veight 6/ Strong n Key	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d.
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub no CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone MAFAC Tool Kits.	sp. ljustal Ring uts ‡"  ner—t for Cy lle Sp Fit e	op tube 5" to with cli ANNE ole, 3" Spann x 1/- the righ yclo ge anners 11d. 8d. everyth NIPPI	or to 9°. V ps, etc  RS long er. S Allar at tool ars ing LE K	the se Veight 6/ Strong n Key way	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d.
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub m CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone MAFAC Tool Kits.  "KING Dick" Cad	sp. ljustal Ring uts ‡" her—t for Cy lle Sp Fit e	ANNE ole, 3" Spann x 1/- the right yclo ge anners 11d. 8d. everyth none-w	or to 9°. V ps, etc  RS long er. S Allar at tool ars  Six-v ning LE K vay 1/-	the se Veight 6/ Strong n Key way .	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d.
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub m CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone MAFAC Tool Kits.  SPC "KING Dick" Cad SPRIN	sp. ljustal Ring uts ‡" her—t for Cy lle Sp Fit e	ANNE ole, 3" Spann x 1/- the right yclo ge anners 11d. 8d. everyth none-w HEEL	or to 9°. V ps, etc  RS long er. S Allar at tool ars  Six-v ing CAF	the se Veight  6/ Strong  Key  Way  EYS  For	4" long and	g ligh y 1/2	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d. 11/6 8each
"KING DICK" Ad "KING DICK" Ad "KING DICK". I front and rear hub m CAMPAGNOLO— Thin Cone Spanner TERRY Pedal Spann CYCLO Spanners— J. B. BROOKS Sadd Also Head and B.B. Peg and Cone MAFAC Tool Kits.  "KING Dick" Cad	sp. ljustal Ring uts ‡" her—t for Cy lle Sp Fit e	ANNE ole, 3" Spann x 1/- the right yclo ge anners 11d. 8d. everyth none-w HEEL	or to 9°. V ps, etc  RS long er. S Allan at tool ars Six- ning LE K vay 1/- CAF	the se Veight  6/ Strong  Key  Way  EYS  For	4" long and	g ligh	7/3 at for 5/5 2/- 3/- 1/- 2/6 11d. 11/6 8each

#### TUBULARS





Signor D'Alessandro is without doubt the most experienced maker of tubular tyres on the Continent. His up-to-date factory in Milan is entirely devoted to their manufacture and his increasing sales all over the World are evidence of the esteem in which his tyres are held.

These tyres have been imported into Great Britain since 1937 and they are now a prime favourite amongst British Pacing. Men, who know that you can

Racing Men who know that you can rely upon D'Alessandro. Very many successes have been gained upon these tyres during 1954 including World,

Empire and British Championship titles.

I can therefore recommend these tyres with complete confidence and wish all D'Alessandro riders another successful season.

The range for 1955 is as follows:

IMPERFORABILE. Cheapest in the long run-A pair of these tyres will see the majority of riders through a complete season of racing including the odd "12" or "24". Exceedingly elastic raw rubber band between the tread and the base effectively prevents flints, thorns, etc., penetrating. Cunningly woven from Sea Island Cotton fabric with a light pure rubber inner tube this tyre can be relied upon. Weight 93 ozs. Usually with file pattern tread 75/6 but can be supplied with matt tread ... 89/6 Or with SILK fabric ... LIGHT PATH. A tyre for the expert whether Track or Short-distance man. Recognised as the tyre with the longest life at the weight of only 7 ozs. Translucent with narrow smooth red band. National Championships have 62/6 repeatedly been won on these tyres ... 74/6 Or with SILK fabric ...

CRITERIUM. This tyre is very popular on all British hard tracks and also as a fast short distance road tyre. Smooth black tread. Light fabric. Weight 8½ ozs. ... 48/6

IMPERIAL. A reliable light road tyre for all-round work. Narrow black tread with non-slip design. Latex sides. Weight 121 ozs. 42/6

LEONE. Still the tyre most in demand in the D'Alessandro range, this is a strong and reliable tubular. Definitely the most popular tyre for circuit racing. Narrow file pattern tread with translucent sides. Rubber base tape. Weight 13½ ozs. ... 39/6

BALILLA. Improved by fitting a tough black file-pattern tread. The green motif has been retained by a green protective covering on the walls. Weight 14 ozs. Really wonderful value. This is no "hose-pipe" tyre but one on which speedy rides can be accomplished. 31/11

"WORTHY". (As illustrated). Made specially by Signor D'Alessandro, to my specification, for the British market. Oversize section with prominent file pattern tread extending well down the sides. Walls are well protected with latex dressing. This tyre has been used with every satisfaction for all everyday riding and training. With its wide non-slip tread it also fills a long-felt want for a reliable grass tyre, whilst tandem riders pronounce it "just the job". Weight 16 ozs. ... 39/6



#### DUNLOP TUBULARS

No.	1.	Very fine file tread. Weight 7 ozs			56/-
No.					56/-
No.	3.	C 1 1 1 1 117 1 1 1 1 1 1 1 1 1 1 1 1 1		***	56/-
No.	5.	3.4 1 Co		***	56/-
No.	6.	73 (7) (1) 1 117 1 1 4 4 7	***	***	56/-
No.	8.	The latest introduction. Weight 12½ ozs.	***	***	42/-
No.	9.				33/6
No.	10.		***	***	33/6
SILI	KS.	No. 0 80/- Nos. 1, 2 and	5	***	84/-

#### TUBULAR CARRIER

"FULMINE". Italian Quick Release Carrier with strong elastic cords. Fitted under the saddle. When making rapid change remains attached to the saddle. No. fiddling with loose straps ... 6/3

#### TUBULAR SUNDRIES

REPAIR OUTFITS: " "Dissoplast" needle and ! "Dunlop" patches for tub "Stopping" 4d. "Montex" for dressing w	ulars	:::	::: ng soluti	Dunlop " 1/1 4d. p on 2/	card
- T	OE STR	APS			*
HLLEST	DA STELL	11		- 0-	_
The slit to tuck the end of the	strap in			CIL	
giving perfect "stop".	Quick	1	But I con	2.6	
release buckle. Leather	specially	6		~/	
selected to avoid stretch	4/6 pair		1 1		
BINDA. Genuine Italian	strap used	Бу Сор	pi and i	6/-	nters.
Really tough, coloured finis CONSTRICTOR, quick re	lease	***	***	4/3	
BROOKS with quick release	se		***	4/-	
Ditto "COMPETITION	47		***	2/6	
"FLICK ". Fitted quick	release wide	buckle	***	3/3	
ACC.	-	TOF	CLI	PS	(8
The state of the s			The State of Party and Par		
	CHRISTO			lengths.	Most 6/3
	famous of l	PHE C	LIP-ON	. Nothin	
	come loose	***	***	***	6/3
	STRATA S	Stainless	steel	/	5/6
	CONSTRI	CTOR 8	teel. B	oa pattern	5/3
. 6	ASHBY "				
ASHBY " Monique ". La	itest pattern	chrome		***	4/-
1					
	TRANSI				
"CAMPAGNOLO"	6d. each	Colou	red Cher	vrons 7	pair
CALINI MOTORE					
TV	RES (W	red o	(11)		
to the time to be defined by the control of the con	KES ( 11)	ucu			
DUNLOP: "HIGH PRESSURE"	26" or 27"	Cover	17/4	Tube	5/7
" WHITE SPRITE ".	26" or 27"		15/-		5/3
"SPRITE"	26" or 27"	**	13/11	**	5/3
" SPEED ".	26" or 27"	**	13/11	**	5/3
torns numer.					8.
JOHN BULL:	26" or 27"	Cover	20/11	Tube	5/10
"ROAD SPRINT". "SAFETY SPEED".	26" or 27"	COVE	13/11	**	5/3
"LIGHT SPEED ".	26" or 27"	**	15/-	**	5/3
MICHELIN:					
" 25 ".	26" or 27"	Cover	17/4	Tube	5/7
		The state of the s			

#### TYKE PRESSURE GAUGES

DUNLOP. Make sure you have the correct pressure and get full speed and long wear from your lively tyres ...

#### TYRE SAVERS



CARLTON. The Carlton Tyresaver is an ingenious device which removes nails, glass, or flints. As the wheel turns, the nail or flint comes into contact with the Tyresaver and is pulled out within a few seconds of its entry into the tyre. CC Lightweight anti-splash guard C Racing and CL Ultra-Light Racing 1/6 "M" or "R" for use with guards

2/-

#### WHEELS

Now there are wheels and wheels-Holdsworth's are the last word. All these wheels are the result of careful attention to detail.

They are built in Holdsworth's workshops, by experienced mechanics, with only one end in view, and that

is—a perfect wheel.

Ask the man who rides them, and while they may have equals, as far as workmanship, materials and general finish are concerned, Holdsworth wheels can have NO superiors.

HUBS	7.	V	VIRED O	N Wein-	SPR	INT Wein-
		Rigida Steel	Fiamme Alloy	mann Alesa	Fiamme Alloy	mann Scherens
Campagnolo	S/F	116/-	128/-	135/6	139/-	146/6
" Q.R.	L/F	149/-	161/-	168/6	172/-	179/6
Leone Q.R.	S/F	105/-	117/-	124/6	128/-	135/6
THE STATE OF STATE OF	L/F	117/-	129/-	136/6	140/-	147/6
F.B. "	S/F	85/6	97/6	105/-	108/6	116/-
	L/F	121/6	133/6	141/-	144/6	152/-
Gnutti Airione		76/-		95/6	99/-	106/6
Baylis Wiley	SF	67/-		86/6	90/-	97/6
Dayin Tripy	L/F	106/-		125/6	129/-	136/6
Any other cor the difference against the abo	nbina with	tion car	be cale	culated ted hu	by allo bs and/	or Rime
CARRIAGE on	a pair c	of wheels	to anywh	ere in U.	K.	3/6

	27	17	80	100	3.6	7.7	5.6	~	3.9	0.2	8.9	3.8	_	8.5	6.2	
52	~	Ξ	12	12	93	87	82	78	73	12	9	63	9 61	28	26	12
S	26	13	4	9.9	90.1	84.5	79.5	75.1	71.1	67.6	4.49	61.4	58.8	56.3	54.1	63
		-	-	4 96	0	8	4	1	7	5 6	3	4	7 5	2 5	l ro	0
	27	112	104	96	8	84.	79.	75	17	67.	4	61.	58.	56.	54	1
20		00		00	9	101	4	12	4		0	-	S	101		
	26	108	100	92.	86.	81.	76.	72.	68.	65	61.	59	56.	54	52	5
				in	12	1	00	l ro	9.	-		-	r.	-	0.	0
_	27	110	102	4	88	82	77	73	69	99	63	3	57	55	52	5
4	9	9			0.	9.	6.	00		1.	7.	6.	4	-	6.	
	26	106	86	16	84	19	74	18	67	63	8	57	55	53	20	104
	1	-	1.	9.	4	-	2.		2.	00	7.	6.	.3		00	a
~	27	108	6	92	88	18	16	72	89	2	19	58	26	54	51	9
48	9			-	12		4	6.	7.	4	4	1	6.		6.	1
	26	101	96	68	83	78	73	69	65	62	29	26	54	52	49	9
1	1	9	9.	19.	9.	6.	9.	S.	· .	4	4.	7.	.2	6.	8.	0
7	27	106	9	8	8	79	74	2	8	63	8	57	55	52	20	9
47	26	102	-	7.3	1.5	4.9	1.8	7.9	4.3	1.1	8.2	5.5	3.1	0.8	8.9	1
		=	8	87	81	22	7	67	2	19	28	155	53	2 20	48	14
	27	103	95.5	88.7	82.8	7.6	73	69	65.4	62.1	59.1	56.4	54	51.7	49.7	47
46	1	71	10	1 4	100	777	финосент	4	96	1 80	l ro	1 4	I	100	1 00	-
	26	66	92	in	79.	74.	70.3	99	62.	59.	22	54.	25	49.	47.	13
		10	14	00	10	10	10	1	5	14	9	1	9	S	l ro	1
	27	6	91.	84	79	4.	69	99	62.	59.	56.	54	51.	49	4	1
4	5	.3	1	1.	100	S.	6.	I.	2	12	l ro	1	1	1	00	I
	26	95.	88	81.	76.	71.	67	63	9	57.	54	52	49	47	45	1
	1	in	10	1	9.	0.	1	1	1	10.		10	100	10	4	14
~	27	4	87	81	75	70	99	63	29	56	54	51	4	47	45	15
42	9		1	1	00	-	13		S	19.		19.	l rs.	15.	1.	1
	26	16	84	78	72	68.3	2	60.7	57	54	52	5	47	45.5	43	3
Wheel	Wheel	12	13	14	15	16	17	18	19	20	21	22	23	24	25	36
é	W	-	-		-	,	No.	-6 .	~						10.7	



# HOLDSWORTH'S CYCLES & FRANKS send for your copy of the 1955 CATALOGUE